



US00D484521S

(12) **United States Design Patent**
Isomoto

(10) **Patent No.:** **US D484,521 S**

(45) **Date of Patent:** **** Dec. 30, 2003**

(54) **CAMERA**

D473,249 S * 4/2003 Horikiri et al. D16/202
6,542,700 B2 * 4/2003 Ito 396/535

(75) Inventor: **Masataka Isomoto**, Kanagawa-ken (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

JP D1063508 11/1999

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/175,654**

Primary Examiner—Adir Aronovich

(22) Filed: **Feb. 10, 2003**

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Aug. 20, 2002 (JP) 2002-022156

The ornamental design for a camera, as shown and described.

(51) **LOC (7) Cl.** **16-01**

(52) **U.S. Cl.** **D16/209**

DESCRIPTION

(58) **Field of Search** D16/200–204,
D16/208, 209, 218; 396/535–541

FIG. 1 is a front view of a camera showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D394,076 S * 5/1998 Matsumura et al. D16/209
D401,258 S * 11/1998 Tanaka D16/209
D401,604 S * 11/1998 Ito et al. D16/218
D426,252 S * 6/2000 Ito et al. D16/218

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

