



US00D484627S

(12) **United States Design Patent**  
**Mah**

(10) **Patent No.:** **US D484,627 S**

(45) **Date of Patent:** **\*\* Dec. 30, 2003**

(54) **FLASHLIGHT**

D479,014 S \* 8/2003 Yamamoto et al. .... D26/49

(76) Inventor: **Pat Y. Mah**, 8C Leroy Plaza, 15  
Cheung Shun Street, Cheung Sha Wan,  
Kowloon, Hong Kong (HK)

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Curtis L. Harrington

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/180,922**

The ornamental design for an flashlight, as shown and described.

(22) Filed: **May 2, 2003**

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/49**

(58) **Field of Search** ..... D26/37-50; 362/157,  
362/158, 171, 172, 173, 183-208


FIG. 1 is a perspective view of the flashlight;  
FIG. 2 is a top view;  
FIG. 3 is a right side view, the left side view being a mirror  
image of the right side view;  
FIG. 4 is a bottom view;  
FIG. 5 is a rear view; and,  
FIG. 6 is a front view.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D474,555 S \* 5/2003 Dieckowski et al. .... D26/49


**1 Claim, 3 Drawing Sheets**



*Fig. 1*



*Fig. 3*



*Fig. 2*






Fig. 6




Fig. 5




Fig. 4

