



US00D484740S

(12) **United States Design Patent**  
**Hay**

(10) **Patent No.:** **US D484,740 S**

(45) **Date of Patent:** **\*\* Jan. 6, 2004**

(54) **HANDLE FOR TOOL**

**DESCRIPTION**

(75) Inventor: **Christopher Hay**, Causeway Bay (HK)

(73) Assignee: **Hayco Manufacturing Limited**,  
Causeway Bay (HK)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/174,850**

(22) Filed: **Jan. 24, 2003**

(51) **LOC (7) Cl.** ..... **07-06**

(52) **U.S. Cl.** ..... **D7/395**

(58) **Field of Search** ..... D7/393, 395, 681-695,  
D7/354-361; 16/110.1, 430, 431, 436, DIG. 12,  
DIG. 18, DIG. 19; 30/322-328; 294/1.1,  
50, 55.5

(56) **References Cited**

**PUBLICATIONS**

Chef's Catalog, 5/01, p. 24, handle of the kitchen tools.\*  
Betty Crocker Catalog, Sep. 15, 1997, p. 8, handle of the  
kitchen tools on bottom of page.\*  
Ekco Products Catalog, 1957, p. 104, handle of the kitchen  
tools.\*

\* cited by examiner


*Primary Examiner*—Terry A. Wallace  
(74) *Attorney, Agent, or Firm*—Smith-Hill and Bedell

(57) **CLAIM**

The ornamental design for “handle for tool”, as shown and  
described.

FIG. 1 is a front perspective view showing a “handle for  
tool” incorporating the design of my invention;  
FIG. 2 is a top view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a side view thereof,  
FIG. 5 is another side view thereof;  
FIG. 6 is a front view thereof;  
FIG. 7 is a rear view thereof;  
FIG. 8 is a front perspective view showing the handle shown  
in FIG. 1 residing in a different tool thereof;  
FIG. 9 is a top view of the tool shown in FIG. 8;  
FIG. 10 is a bottom view of the tool shown in FIG. 8;  
FIG. 11 is a side view of the tool shown in FIG. 8;  
FIG. 12 is another side view of the tool shown in FIG. 8;  
FIG. 13 is a front view of the tool shown in FIG. 8;  
FIG. 14 is a rear view of the tool shown in FIG. 8;  
FIG. 15 is a front perspective view showing the handle  
shown in FIG. 1 residing in a different tool thereof;  
FIG. 16 is a top view of the tool shown in FIG. 15;  
FIG. 17 is a bottom view of the tool shown in FIG. 15;  
FIG. 18 is a side view of the tool shown in FIG. 15;  
FIG. 19 is another side view of the tool shown in FIG. 15;  
FIG. 20 is a front view of the tool shown in FIG. 15;  
FIG. 21 is a rear view of the tool shown in FIG. 15;  
FIG. 22 is a front perspective view showing the handle  
shown in FIG. 1 residing in a different tool thereof;  
FIG. 23 is a top view of the tool shown in FIG. 22;  
FIG. 24 is a bottom view of the tool shown in FIG. 22;  
FIG. 25 is a side view of the tool shown in FIG. 22;  
FIG. 26 is another side view of the tool shown in FIG. 22;  
FIG. 27 is a front view of the tool shown in FIG. 22; and,  
FIG. 28 is a rear view of the tool shown in FIG. 22.  
The “handle for tool” shown in phantom lines depicts the  
environment of my new design and forms no part of the  
design of my invention.

**1 Claim, 24 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5



**FIG. 6**



**FIG. 7**




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12



**FIG. 13**



**FIG. 14**




FIG. 15




FIG. 16




FIG. 17






FIG. 18






FIG. 19



**FIG. 20**



**FIG. 21**




FIG. 22




FIG. 23




FIG. 24




FIG. 25






FIG. 26





**FIG. 27**



**FIG. 28**