



US00D484743S

(12) **United States Design Patent**
Furlong

(10) **Patent No.:** **US D484,743 S**

(45) **Date of Patent:** **** Jan. 6, 2004**

(54) **INSULATED TUMBLER WITH LID**

(75) Inventor: **Brian Furlong**, Westchester, IL (US)

(73) Assignee: **Starbucks Corporation**, Seattle, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/166,913**

(22) Filed: **Sep. 4, 2002**

(51) **LOC (7) Cl.** **07-01**

(52) **U.S. Cl.** **D7/510; D7/511; D7/533**

(58) **Field of Search** D7/509, 507, 510,
D7/511, 523, 531, 532, 317, 533; 222/568,
129; 210/120, 136; 220/703, 603, 714,
719, 711, 671, 715, 592.16, 592.17; 215/387,
DIG. 7; D24/197

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-------------|---|---------|--------------------|-------|---------|
| D47,721 S | * | 8/1915 | Haley | | D7/531 |
| D200,054 S | * | 1/1965 | Swartz | | D7/507 |
| 3,416,687 A | * | 12/1968 | Arnaud | | 215/255 |
| 3,443,715 A | * | 5/1969 | Edwards | | 220/671 |
| D279,083 S | * | 6/1985 | Gray | | D11/152 |
| D338,367 S | | 8/1993 | Fonville | | |
| D375,871 S | * | 11/1996 | Jarvis | | D7/523 |
| D380,647 S | * | 7/1997 | Durand | | D7/531 |
| D381,558 S | * | 7/1997 | Schaefer et al. | | D7/531 |
| D389,375 S | | 1/1998 | Benson | | |
| D398,815 S | | 9/1998 | Hatsumoto et al. | | |
| D406,011 S | * | 2/1999 | Hatsumoto et al. | | D7/510 |
| D409,446 S | | 5/1999 | St. John et al. | | |
| D416,443 S | | 11/1999 | Kilpatrick et al. | | |
| D420,254 S | | 2/2000 | Park | | |
| D421,364 S | | 3/2000 | Kristiansen et al. | | |
| D429,959 S | | 8/2000 | Otake | | |
| D431,159 S | | 9/2000 | Otake | | |
| D436,297 S | * | 1/2001 | Shook | | D7/530 |
| D444,675 S | | 7/2001 | Kerman | | |
| D454,756 S | * | 3/2002 | Janky et al. | | D7/510 |

| | | | | | |
|------------|---|---------|---------------|-------|--------|
| D457,035 S | * | 5/2002 | Hurlbut | | D7/510 |
| D457,396 S | * | 5/2002 | Janky et al. | | D7/510 |
| D462,875 S | * | 9/2002 | Norris et al. | | D7/533 |
| D467,122 S | * | 12/2002 | Janky | | D7/510 |
| D467,124 S | * | 12/2002 | Janky | | D7/533 |
| D469,308 S | * | 1/2003 | Janky | | D7/510 |
| D469,309 S | * | 1/2003 | Janky | | D7/510 |

* cited by examiner

Primary Examiner—M. N. Pandozzi

(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC



(57) **CLAIM**

The ornamental design for an insulated tumbler with lid, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an insulated tumbler with lid showing my new design;
 FIG. 2 is a front elevational view of the insulated tumbler of FIG. 1;
 FIG. 3 is a right side elevational view of the insulated tumbler with lid of FIG. 1;
 FIG. 4 is a rear elevational view of the insulated tumbler with lid of FIG. 1;
 FIG. 5 is a left side elevational view of the insulated tumbler with lid of FIG. 1;
 FIG. 6 is a top plan view of the insulated tumbler with lid of FIG. 1;
 FIG. 7 is a bottom plan view of the insulated tumbler with lid of FIG. 1; and
 FIG. 8 is a perspective view of an insulated tumbler with lid showing a second embodiment of my new design;
 FIG. 9 is a front elevational view thereof;
 FIG. 10 is a right side elevational view thereof;
 FIG. 11 is a rear elevational view hereof;
 FIG. 12 is a left side elevational view thereof;
 FIG. 13 is a top plan view thereof; and,
 FIG. 14 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






Fig. 1.




Fig. 8.




Fig. 2.




Fig. 9.




Fig.3.




Fig.10.




Fig. 4.




Fig. 11.




Fig. 5.




Fig. 12.




Fig. 6.




Fig. 13.




Fig. 7.




Fig. 14.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 484,743 S
DATED : January 6, 2003
INVENTOR(S) : B. Furlong

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

DESCRIPTION,


Line 3, "tumbler of" should read -- tumbler with lid of --

Line 14, after "FIG. 1;" delete "and"

Line 19, "hereof;" should read -- thereof; --

Signed and Sealed this

Sixteenth Day of March, 2004

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS
Acting Director of the United States Patent and Trademark Office