



US00D484844S

(12) **United States Design Patent**  
**Eddy, Jr.**

(10) **Patent No.:** **US D484,844 S**

(45) **Date of Patent:** **\*\* Jan. 6, 2004**

(54) **TIRE WITH ANIMAL FOOT PRINT TREAD**

(76) **Inventor:** **John N. Eddy, Jr.**, 801 N. West,  
Morrilton, AR (US) 72110

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/169,438**

(22) **Filed:** **Oct. 21, 2002**

(51) **LOC (7) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/503**

(58) **Field of Search** ..... D12/500, 503,  
D12/509, 536, 541, 571, 576; 152/209.1,  
209.12, 209.28

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |   |   |         |              |       |            |
|-----------|---|---|---------|--------------|-------|------------|
| 1,127,789 | A | * | 2/1915  | McCoy        | ..... | 152/209.17 |
| 1,128,387 | A | * | 2/1915  | Tiefenbacher | ..... | 152/209.15 |
| D47,890   | S | * | 9/1915  | May          | ..... | D12/503    |
| D53,498   | S | * | 7/1919  | Greenspan    | ..... | D12/503    |
| D56,271   | S | * | 9/1920  | Blekre       | ..... | D12/503    |
| D56,723   | S | * | 12/1920 | Beskett      | ..... | D12/503    |
| D56,981   | S | * | 1/1921  | Lawlor       | ..... | D12/503    |
| D63,107   | S | * | 10/1923 | McCoy        | ..... | D12/503    |

|           |   |   |         |            |       |            |
|-----------|---|---|---------|------------|-------|------------|
| D63,259   | S | * | 11/1923 | Hollenbeck | ..... | D12/503    |
| D64,378   | S | * | 4/1924  | Stone      | ..... | D12/503    |
| 1,498,336 | A | * | 6/1924  | Wright     | ..... | 152/209.22 |

\* cited by examiner

*Primary Examiner*—Robert M. Spear  
(74) *Attorney, Agent, or Firm*—Dennis B. Haase

(57) **CLAIM**

The ornamental design for tire with animal foot print tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a pictorial representation, in perspective, as viewed from the right side of the tire with animal foot print tread which comprises the present invention;  
FIG. 2 is a pictorial representation, in perspective, as viewed from the left side of the tire with animal foot print tread which comprises the present invention;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and,  
FIG. 7 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

