



US00D484889S

(12) **United States Design Patent**
Neeley et al.

(10) **Patent No.:** **US D484,889 S**

(45) **Date of Patent:** **** Jan. 6, 2004**

(54) **ENGINE SHROUD**

(75) Inventors: **Brian D. Neeley**, Plymouth, WI (US);
Steven T. Davis, Green Bay, WI (US)

(73) Assignee: **Tecumseh Products Company**,
Tecumseh, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/172,646**

(22) Filed: **Dec. 16, 2002**

(51) **LOC (7) Cl.** **15-01**

(52) **U.S. Cl.** **D15/1**

(58) **Field of Search** D15/1-5; D34/15;
123/50 A, 156 BA, 56, 41.7, 198.5, 661,
667, 306; 46/36, 78, 249

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|----------------|-------|--------|
| D226,774 S | 4/1973 | Skyer | | D15/99 |
| D305,432 S | 1/1990 | Hashigaki | | D15/1 |
| D307,147 S | 4/1990 | Sasaki et al. | | D15/1 |
| D319,447 S | 8/1991 | Oshima et al. | | D15/14 |
| D330,897 S | 11/1992 | Carlson et al. | | D15/1 |
| D352,042 S | 11/1994 | Davies, III | | D15/17 |
| D352,043 S | 11/1994 | Davies, III | | D15/17 |
| D353,381 S | 12/1994 | Yoshida et al. | | D15/1 |
| D367,070 S | 2/1996 | Maeda et al. | | D15/1 |
| D379,995 S | 6/1997 | Gilmore | | D15/1 |
| D384,083 S | 9/1997 | Hinklin | | D15/14 |
| D387,357 S | 12/1997 | Gilmore | | D15/1 |
| D396,045 S | 7/1998 | Neeley | | D15/1 |
| D397,342 S | 8/1998 | Shimizu | | D15/5 |

| | | | | |
|------------|----------|---------------|-------|--------|
| D414,784 S | 10/1999 | Maeda | | D15/17 |
| D466,905 S | 12/2002 | Neeley et al. | | D15/1 |
| D468,571 S | * 1/2003 | Neeley et al. | | D15/1 |
| D468,751 S | 1/2003 | Neeley et al. | | D15/1 |
| D471,560 S | 3/2003 | Davis | | D15/1 |

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Baker & Daniels

(57) **CLAIM**


The ornamental design for an engine shroud, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of an engine shroud showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a front perspective view of a second embodiment of an engine shroud showing our new design;
 FIG. 8 is a front elevational view of FIG. 7;
 FIG. 9 is a rear elevational view of FIG. 7;
 FIG. 10 is a right side elevational view of FIG. 7;
 FIG. 11 is a left side elevational view of FIG. 7; and,
 FIG. 12 is a top view of FIG. 7.

In the Figures, other engine components are shown in broken lines for illustrative purposes only, and form no part of the claimed invention.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 12




FIG. 10




FIG. 11