



US00D485106S

(12) **United States Design Patent**
Dion

(10) **Patent No.:** **US D485,106 S**

(45) **Date of Patent:** **** Jan. 13, 2004**

(54) **DISPLAY DEVICE**

(75) **Inventor:** **Larry Dion, Rydal, PA (US)**

(73) **Assignee:** **LaMi Products, Inc., Willow Grove, PA (US)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/179,197**

(22) **Filed:** **Apr. 4, 2003**

(51) **LOC (7) Cl.** **06-04**

(52) **U.S. Cl.** **D6/553**

(58) **Field of Search** D6/512-514, 553,
D6/567, 569, 570; 211/13.1, 85.2, 85.3,
60.1, 71.01, 85.15, 85.29, 86.01, 89.01,
113; 248/309.1, 317

(56) **References Cited**

U.S. PATENT DOCUMENTS

D257,709 S	*	12/1980	Lewis	D6/570 X
4,461,387 A		7/1984	Belokin, Jr.		
4,573,590 A	*	3/1986	Ellis	211/85.15
4,767,012 A		8/1988	Simmons		
D346,922 S	*	5/1994	Lewis	D6/570
5,339,967 A		8/1994	Valiulis		
5,405,022 A		4/1995	Rissley		
5,415,370 A		5/1995	Valiulis		
D367,574 S	*	3/1996	Werner	D6/570 X
D377,123 S	*	1/1997	Hutchens	D6/570 X
5,967,341 A		10/1999	Werner		
6,213,316 B1		4/2001	Gretz		

* cited by examiner

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Duane Morris LLP

(57) **CLAIM**

The ornamental design for a display device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a display device according to a first exemplary embodiment of the present invention;

FIG. 2 is a rear view of the display device shown in FIG. 1; FIG. 3 is a left side view of the display device shown in FIG. 1;

FIG. 4 is a right side view of the display device shown in FIG. 1;

FIG. 5 is a top view of the display device shown in FIG. 1;

FIG. 6 is a bottom view of the display device shown in FIG. 1;

FIG. 7 is a front view of a display device according to a second exemplary embodiment of the present invention;

FIG. 8 is a rear view of the display device shown in FIG. 7;

FIG. 9 is a left side view of the display device shown in FIG. 7;

FIG. 10 is a right side view of the display device shown in FIG. 7;

FIG. 11 is a top view of the display device shown in FIG. 7;

FIG. 12 is a bottom view of the display device shown in FIG. 7;

FIG. 13 is a front view of a display device according to a third exemplary embodiment of the present invention;

FIG. 14 is a rear view of the display device shown in FIG. 13;

FIG. 15 is a left side view of the display device shown in FIG. 13;

FIG. 16 is a right side view of the display device shown in FIG. 13;

FIG. 17 is a top view of the display device shown in FIG. 13;

FIG. 18 is a bottom view of the display device shown in FIG. 13;

FIG. 19 is a front view of a display device according to a fourth exemplary embodiment of the present invention;

FIG. 20 is a rear view of the display device shown in FIG. 19;



FIG. 21 is a left side view of the display device shown in FIG. 19;

FIG. 22 is a right side view of the display device shown in FIG. 19;

FIG. 23 is a top view of the display device shown in FIG. 19; and,

FIG. 24 is a bottom view of the display device shown in FIG. 19.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24