



US00D485110S

(12) **United States Design Patent**
Theorin

(10) **Patent No.:** **US D485,110 S**

(45) **Date of Patent:** **** Jan. 13, 2004**

(54) **SURFACE CONFIGURATION OF A FLOOR MAT**

5,725,926 A * 3/1998 Wang 428/78
5,776,583 A * 7/1998 Peyton 428/120
D443,460 S * 6/2001 Bailey D6/592
6,261,667 B1 * 7/2001 Yang 428/172

(75) Inventor: **Fredrik Theorin**, Halmstadt (SE)

* cited by examiner

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

Primary Examiner—Robin V. Taylor

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(21) Appl. No.: **29/174,998**

(57) **CLAIM**

(22) Filed: **Jan. 29, 2003**

The ornamental design for a surface configuration of a floor mat, as shown and described.

(51) **LOC (7) Cl.** **06-11**

(52) **U.S. Cl.** **D6/582**

(58) **Field of Search** D6/582, 583, 584,
D6/585; D12/203; 296/97.23; 15/215-217;
428/85

DESCRIPTION


FIG. 1 is a front view of a surface configuration of a floor mat according to my novel design; and, FIG. 2 is a perspective view of the surface configuration of a floor mat according to my novel design. The dash lines included depict environment and are not part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D160,554 S * 10/1950 Sherman D6/591
4,406,492 A * 9/1983 Cackowski 296/97.23

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2