



US00D485133S

(12) **United States Design Patent**  
**Breeze-Stringfellow**

(10) **Patent No.:** **US D485,133 S**

(45) **Date of Patent:** **\*\* Jan. 13, 2004**

(54) **HOLDER FOR A BEVERAGE CONTAINER**

(76) Inventor: **Mark Breeze-Stringfellow**, 10 New Street, Upton Upon Severn, Worcestershire WR8 OHR (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/154,969**

(22) Filed: **Feb. 1, 2002**

(30) **Foreign Application Priority Data**

Aug. 1, 2001	(GB)	0118736
Aug. 1, 2001	(GB)	2103527
Sep. 5, 2001	(GB)	0121433
Dec. 8, 2001	(GB)	0129449
Dec. 8, 2001	(GB)	2106799

(51) **LOC (7) Cl.** ..... **07-06**

(52) **U.S. Cl.** ..... **D7/622**

(58) **Field of Search** ..... D7/605, 607, 619, D7/622, 513, 393, 536; 220/737-740, 758, 759, 903; 229/403, 4.5, 402; 294/31.2, 87.1, 152, 165; 211/74

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,866,805 A \* 7/1932 Hatwood ..... 294/31.2

2,965,281 A	*	12/1960	Herrmann	220/737
3,104,788 A	*	9/1963	Wood	294/152
4,685,583 A	*	8/1987	Noon	220/737
5,222,656 A	*	6/1993	Carlson	229/403
5,425,497 A	*	6/1995	Sorensen	220/738
5,454,484 A	*	10/1995	Chelossi	220/738

\* cited by examiner

*Primary Examiner*—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Godfrey & Kahn, S.C.; Nicholas A. Kees

(57) **CLAIM**

The ornamental design of a holder for a beverage container, as shown and described.

**DESCRIPTION**



FIG. 1 is a front elevational view of a flat blank for a holder for a beverage container, showing one embodiment of the new design, the broken lines indicating an area where the holder is perforated;


FIG. 2 is a top plan view of the assembled holder for a beverage container of FIG. 1;

FIG. 3 is a front elevational view of the assembled holder for a beverage container of FIG. 1; and,


FIG. 4 is a side elevational view of the assembled holder for a beverage container of FIG. 1.

**1 Claim, 3 Drawing Sheets**







**Fig. 1**



*Fig. 2*



*Fig. 4*



*Fig. 3*