



US00D485180S

(12) **United States Design Patent**
Brozell

(10) **Patent No.:** **US D485,180 S**
(45) **Date of Patent:** **** Jan. 13, 2004**

(54) **CLOSURE**

(75) Inventor: **Leonora M. Brozell**, Maumee, OH (US)

(73) Assignee: **Owens-Illinois Closure Inc.**, Toledo, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/177,631**

(22) Filed: **Mar. 13, 2003**

Related U.S. Application Data

(62) Division of application No. 29/151,403, filed on Nov. 8, 2001, now Pat. No. Des. 476,897.

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/449**

(58) **Field of Search** D9/516, 521, 529, D9/549, 550, 557, 558, 571, 574, 575, 338, 449, 445, 504, 515, 446, 447; 215/383-384, 396, 398, 400, 235, 236, 244, 258; 222/206, 214, 215, 544; 220/660, 675, 837, 838

(56) **References Cited**

U.S. PATENT DOCUMENTS

D37,578 S	10/1905	Bradley
3,369,720 A	2/1968	Libit et al.
D258,051 S	1/1981	Bakus
D324,998 S	3/1992	Klapwald
5,105,989 A	4/1992	Gutkowski
D337,527 S	7/1993	Klapwald
D343,358 S	1/1994	Lay et al.
D353,332 S	12/1994	Behm et al.
D355,121 S	2/1995	Kohl
D355,363 S	2/1995	Lorii et al.
D363,431 S	10/1995	Mansau
5,503,309 A	4/1996	Oder et al.
D369,942 S	5/1996	Ahern, Jr.
D372,196 S	7/1996	Gerhart et al.
D372,198 S	7/1996	Lathrop et al.
D375,899 S	11/1996	Gerhart et al.
D379,434 S	5/1997	Robbins, III et al.

D380,159 S	6/1997	Lathrop et al.
D382,802 S	8/1997	Lambrecht
D385,493 S	10/1997	Zhang
D386,089 S	11/1997	Rosen et al.
D389,064 S	1/1998	Sethi et al.
D392,561 S	3/1998	Markey et al.
D403,242 S	* 12/1998	Edwards D9/529
5,873,494 A	* 2/1999	Dallas, Jr. 222/129
D406,533 S	3/1999	Maus
D406,771 S	3/1999	Weber
D408,293 S	* 4/1999	Bakic D9/558
5,897,033 A	* 4/1999	Okawa et al. 222/212
D409,489 S	5/1999	Blades
D411,744 S	6/1999	Brach et al.
5,927,535 A	7/1999	Goth
D413,064 S	8/1999	Bansal
D424,422 S	* 5/2000	Landhed D9/302
D425,426 S	5/2000	Weber
D425,429 S	* 5/2000	Weber D9/529
D428,816 S	8/2000	Shiokawa et al.
D439,165 S	3/2001	Erckelbout et al.
D451,809 S	12/2001	Jones
D459,659 S	* 7/2002	Chung D9/529
D461,718 S	* 8/2002	Brozell D9/529

(List continued on next page.)

Primary Examiner—Philip S. Hyder
Assistant Examiner—Carol Rademaker


(57) **CLAIM**

The ornamental design for a closure, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the closure of the present invention.
FIG. 2 is a front elevational view of the closure in FIG. 1.
FIG. 3 is a top plan view of the closure in FIGS. 1-2, the bottom of the closure forming no part of the claimed design.
FIG. 4 is a side elevational view of the closure in FIGS. 1-3, the opposing side elevational view being a mirror image of FIG. 4; and,
FIG. 5 is a rear elevational view of the closure in FIGS. 1-4.

1 Claim, 1 Drawing Sheet



US D485,180 S

Page 2

U.S. PATENT DOCUMENTS					
D463,280 S	9/2002	Brozell	D472,137 S	* 3/2003	Brozell et al. D9/302
D463,291 S	9/2002	Kokubo et al.	D475,920 S	* 6/2003	Poon et al. D9/445
6,454,135 B1	* 9/2002	Brozell 222/135	D476,574 S	* 7/2003	Beachum et al. D9/529
D463,744 S	* 10/2002	Brozell D9/449			* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5