



US00D485228S

(12)

United States Design Patent

Hutz et al.

(10) Patent No.:

US D485,228 S

(45) Date of Patent:

** Jan. 13, 2004

(54) TIRE TREAD

(75) Inventors: **John Anthony Hutz**, Greer, SC (US);
Oscar Francisco Pereda, Greenville,
SC (US); **Philip Blair Webb**,
Greenville, SC (US); **John Christopher
Church**, Piedmont, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.**
(CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/168,997**

(22) Filed: **Oct. 11, 2002**

(51) LOC (7) Cl. **12-15**

(52) U.S. Cl. **D12/551; D12/554**

(58) Field of Search D12/500, 501,
D12/551, 552, 553, 554, 555, 556; 152/209.1,
209.09, 209.13, 209.25, 209.18

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,015 S	10/1993	Maxwell		D12/151
D350,716 S	*	9/1994	Bell et al.	 D12/554
D365,071 S	12/1995	Hamamoto et al.		D12/149
5,759,313 A	*	6/1998	Shirai et al.	 152/209.18
D456,764 S	*	5/2002	Heinen et al.	 D12/551
D459,292 S	6/2002	Hoover et al.		D12/554
D472,515 S	*	4/2003	Hutz et al.	 D12/551

OTHER PUBLICATIONS

Atlas Pacemark Radial GT Tire, 2000 Tread Design Guide,
Feb. 2000, p. 13. 2/5.*
Dunlop SP Sport W-10 Tire, 2001 Tread Design Guide, Jan.
2001, p. 28. 3/3.*

Tread Design Guide, 1997, p. 125, Yokohama AVS S/T.
Tread design Guide, 1997, p. 214, Dunlop K525 Qualifier.
Tread Design Guide, 2000, p. 107, Pirelli Scorpion Zero.
Tread Design Guide, 2000, p. 118, Yokohama Geolandar
M/T.
Tread Design Guide, 2000, p. 208, Michelin Dexter Scooter.
Tread Design Guide, 2000, p. 212, Pirelli MT90 RS.

* cited by examiner

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—Christopher P. Crecente;
Martin Farrell; Robert R. Reed

(57) **CLAIM**

The ornamental design for a tire tread, as shown and
described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new
design, it being understood that a tread pattern is repeated
over the outer circumference of the tread width and the
adjacent shoulders of the tire, the opposite side perspective
view being identical thereto; and,

FIG. 2 is a enlarged fragmentary front elevation view of the
tread pattern of FIG. 1.

In the drawings, the dark stippled surface shading represents
the recessed portion of the tread grooves having a depth as
best shown along the right edge of FIG. 1. The broken line
disclosure of a tire sidewall and inner bead are for illustra-
tive purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2