



US00D485229S

(12) **United States Design Patent**
Murata(10) Patent No.: **US D485,229 S**
(45) Date of Patent: ** Jan. 13, 2004(54) **TIRE TREAD**(75) Inventor: **Takehiko Murata**, Amagasaki (JP)(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)(**) Term: **14 Years**(21) Appl. No.: **29/176,813**(22) Filed: **Feb. 27, 2003**(30) **Foreign Application Priority Data**Nov. 8, 2002 (JP) 2002-030763
Nov. 8, 2002 (JP) 2002-030764(51) LOC (7) Cl. **12-15**(52) U.S. Cl. **D12/556**(58) Field of Search **D12/500, 501,
D12/551, 552, 553, 554, 555, 556; 152/209.1,
209.09, 209.13, 209.25, 209.18**(56) **References Cited**

U.S. PATENT DOCUMENTS

D416,836 S * 11/1999 Himuro D12/556
D423,418 S * 4/2000 Meslot et al. D12/556
D432,057 S * 10/2000 Himuro D12/555
D445,730 S * 7/2001 Himuro D12/555
D452,667 S * 1/2002 Tsubono D12/554
D455,380 S * 4/2002 Traulle D12/552

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—David L. King(57) **CLAIM**

The ornamental Design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image of the right side thereof;

FIG. 4 is an enlarged fragmentary front elevational view;

FIG. 5 is a perspective view of a second embodiment of a tire tread showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 6 is a front elevational view of the second embodiment;

FIG. 7 is a right side elevational view of the second embodiment; the other side being a mirror image of the right side thereof; and,

FIG. 8 is an enlarged fragmentary front elevational view of the second embodiment.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

The dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown in FIG. 2.

1 Claim, 8 Drawing Sheets




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8