



US00D485468S

(12) **United States Design Patent**
Roth et al.

(10) **Patent No.: US D485,468 S**

(45) **Date of Patent: ** Jan. 20, 2004**

(54) **REFREEZABLE LID**

(76) Inventors: **Donna Roth**, 42 Tremont St., Duxbury, MA (US) 02332; **Hank Roth**, 42 Tremont St., Duxbury, MA (US) 02332

(**) Term: **14 Years**

(21) Appl. No.: **29/180,921**

(22) Filed: **May 2, 2003**

Related U.S. Application Data

(62) Division of application No. 29/165,211, filed on Aug. 6, 2002.

(51) **LOC (7) Cl.** **07-01**

(52) **U.S. Cl.** **D7/392.1**

(58) **Field of Search** D7/391, 392, 392.1, D7/629, 538-542; D9/424, 430-432, 434, 435, 454; 220/780-783, 792-794, 796-799, 805

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,024,731 A	5/1977	Branscum
4,249,392 A	2/1981	Hotta
4,471,880 A	9/1984	Taylor et al.
D282,616 S	2/1986	Gallagher et al.
4,570,454 A	2/1986	Campbell
4,809,868 A	3/1989	Pomroy

(List continued on next page.)

Primary Examiner—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Volpe and Koenig, P.C.

(57) **CLAIM**

We claim a new ornamental design for a refreezable lid, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a refreezable lid according to a first preferred embodiment of our new design;

FIG. 2 is a front elevational view of the refreezable lid of FIG. 1;

FIG. 3 is a rear elevational view of the refreezable lid of FIG. 1;

FIG. 4 is a top plan view of the refreezable lid of FIG. 1;

FIG. 5 is a left side elevational view of the refreezable lid of FIG. 1;

FIG. 6 is a bottom plan view of the refreezable lid of FIG. 1;

FIG. 7 is a right side elevational view of the refreezable lid of FIG. 1;

FIG. 8 is a top perspective view of a refreezable lid according to a second preferred embodiment of our new design;

FIG. 9 is a front elevational view of the refreezable lid of FIG. 8;

FIG. 10 is a rear elevational view of the refreezable lid of FIG. 8;

FIG. 11 is a top plan view of the refreezable lid of FIG. 8;

FIG. 12 is a left side elevational view of the refreezable lid of FIG. 8;

FIG. 13 is a bottom plan view of the refreezable lid of FIG. 8;

FIG. 14 is a right side elevational view of the refreezable lid of FIG. 8;

FIG. 15 is a top perspective view of a refreezable lid according to a third preferred embodiment of our new design;

FIG. 16 is a front elevational view of the refreezable lid of FIG. 15;

FIG. 17 is a rear elevational view of the refreezable lid of FIG. 15;

FIG. 18 is a top plan view of the refreezable lid of FIG. 15;


FIG. 19 is a left side elevational view of the refreezable lid of FIG. 15;

FIG. 20 is a bottom plan view of the refreezable lid of FIG. 15; and,

FIG. 21 is a right side elevational view of the refreezable lid of FIG. 15.

The broken lines in FIGS. 8-14 represent environment and are for illustrative purposes only and do not constitute part of the claimed design.

1 Claim, 9 Drawing Sheets



US D485,468 S

Page 2

U.S. PATENT DOCUMENTS

D309,554 S	7/1990	Meisner et al.	D411,741 S	*	6/1999	Wilson et al.	D7/629			
5,177,981 A	1/1993	Haas	5,992,679 A	*	11/1999	Porchia et al.	220/782			
D360,105 S	*	7/1995	Doxey			D420,252 S	*	2/2000	Loew et al.	D7/392.1
5,568,735 A	10/1996	Newkirk et al.	D432,858 S		10/2000	Hayes et al.				
5,701,757 A	12/1997	Heverly	6,318,114 B1		11/2001	Slaughter				

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

