



US00D485488S

(12)

United States Design Patent

Tsukuda

(10) Patent No.:

US D485,488 S

(45) Date of Patent:

** Jan. 20, 2004

(54) CORD STOPPER

(75) Inventor: Yuki Tsukuda, Iruma (JP)

(73) Assignee: YKK Corporation, Tokyo (JP)

(**) Term: 14 Years

(21) Appl. No.: 29/170,392

(22) Filed: Nov. 6, 2002

(30) Foreign Application Priority Data

Jun. 6, 2002 (JP) 2002-015219

(51) LOC (7) Cl. 08-08

(52) U.S. Cl. D8/383

(58) Field of Search D8/383; 24/115 R,
24/115 H, 115 M, 115 G, 115 K, 129 R

(56) References Cited

U.S. PATENT DOCUMENTS

3,409,950 A * 11/1968 Boyd 24/115 R

D343,570 S * 1/1994 Meier D8/383

5,621,952 A * 4/1997 Frano 24/115 G

5,671,505 A * 9/1997 Anscher 24/115 G

D402,190 S 12/1998 Anscher D8/383

D439,507 S * 3/2001 Ikeda D8/383

JP 1115166 7/2001

* cited by examiner

Primary Examiner—Holly Baynham

(74) Attorney, Agent, or Firm—Finnegan, Henderson,
Farabow, Garrett, & Dunner LLP

(57) CLAIM

The ornamental design for a cord stopper, as shown and
described.

DESCRIPTION

FIG. 1 is a front elevational view of a cord stopper of the
claimed design;
FIG. 2 is a back elevational view of the cord stopper of FIG.
1;
FIG. 3 is a top view of the cord stopper of FIG. 1;
FIG. 4 is a bottom view of the cord stopper of FIG. 1;
FIG. 5 is a left-side view of the cord stopper of FIG. 1;
FIG. 6 is a right-side view of the cord stopper of FIG. 1;
FIG. 7 is a cross-sectional view taken on line 7—7 of FIG.
1;
FIG. 8 is a cross-sectional view taken on line 8—8 of FIG.
2;
FIG. 9 is a perspective view of the cord stopper of FIG. 1;
and,
FIG. 10 is an environmental view with the broken line
showing of a jacket being for illustrative purposes only and
forming no part of the claimed design.

JP 1097844 1/2001

1 Claim, 5 Drawing Sheets




FIG. 1

FIG. 2





FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10A





FIG. 10B