



US00D485913S

(12) **United States Design Patent**  
**Gray**

(10) **Patent No.:** **US D485,913 S**

(45) **Date of Patent:** **\*\* Jan. 27, 2004**

(54) **SOUNDPROOF ENCLOSURE**

(76) Inventor: **Sherrill J. Gray**, 9105 Osuna Pl. NE.,  
Albuquerque, NM (US) 87111

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/180,422**

(22) Filed: **Apr. 22, 2003**

(51) **LOC (7) Cl.** ..... **25-02**

(52) **U.S. Cl.** ..... **D25/58**

(58) **Field of Search** ..... D25/1, 58, 35;  
181/284, 287, 295, 198; 52/144, 145

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D354,818 S \* 1/1995 Johnson ..... D25/58  
6,305,492 B1 \* 10/2001 Oleiko et al. .... 52/144

\* cited by examiner

*Primary Examiner*—Doris Clark  
(74) *Attorney, Agent, or Firm*—William E. Hein


(57) **CLAIM**

The ornamental design for a soundproof enclosure, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a soundproof enclosure, showing my new design;  
FIG. 2 is a left side elevation view, the right side elevation view being a mirror image thereof;  
FIG. 3 is a rear elevation view;  
FIG. 4 is a front elevation view;  
FIG. 5 is a top plan view; and,  
FIG. 6 is a bottom plan view.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6