



US00D485954S

(12) **United States Design Patent**  
**Hall et al.**

(10) **Patent No.: US D485,954 S**

(45) **Date of Patent: \*\* Jan. 27, 2004**

(54) **CLEANING FLUID RESERVOIR**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Michael J. Hall**, South San Francisco, CA (US); **James E. Rader**, Pleasanton, CA (US); **Karen S. Hefter**, San Ramon, CA (US); **Douglas Minkler**, Livermore, CA (US); **Robert W. Flagler**, Pleasanton, CA (US); **David J. Sayler**, Portland, OR (US); **Eric Y. Park**, Portland, OR (US)

WO WO 00/27746 5/2000

*Primary Examiner*—Philip S. Hyder  
*Assistant Examiner*—C Tuttle  
(74) *Attorney, Agent, or Firm*—Ray K. Shahani, Esq.; Joel J. Hayashida, Esq.; Mike Mazza, Esq.

(73) Assignee: **The Clorox Company**, Oakland, CA (US)

(57) **CLAIM**

We claim the ornamental design for a cleaning fluid reservoir, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/140,104**

This Application is related to and incorporates herein by reference, in its entirety, pending U.S. patent application Ser. No. 09/689,433 filed Oct. 11, 2000 now U.S. Pat. No. 6,540,424 entitled Advanced Cleaning System, and claims any and all benefits to which it is entitled therefrom, which is related to and incorporates by reference, in its entirety, U.S. Provisional patent application Ser. No. 60/192,040 filed Mar. 24, 2000 entitled Cleaning System, and claims any and all benefits to which it is entitled therefrom.

(22) Filed: **Apr. 11, 2001**

(51) **LOC (7) Cl. .... 07-05**

(52) **U.S. Cl. .... D32/45; D32/30; D9/338; D9/520; D9/522**

(58) **Field of Search** ..... D32/1, 15, 17, D32/25, 29, 30, 45; D9/337, 525, 338, 562, 516, 563, 520, 435, 522, 436, 530, 540, 447, 543, 449, 549, 450, 550, 452, 453, 571, 454, 575; D23/213, 223–225; 15/320, 321, 49.1, 302, 97.1, 98, 104.8, 246; 401/23, 24, 40–47, 137–140; 222/180, 181.1–181.3, 189.1, 173, 174, 183, 191, 204, 207, 211, 464.1, 464.3, 527–529, 533, 566; 215/3, 4, 227, 276, 277, 307, 310, 311, 902, 382–384

FIG. 1 is a front and side perspective view showing our new design for a cleaning fluid reservoir in an inverted position, along with broken lines showing unclaimed environment; FIG. 2 is another inverted perspective view showing the design in use;

FIG. 3 is an exploded bottom, front and left side perspective view showing the design on an enlarged scale;

FIG. 4 is a top, front and right side perspective view on an enlarged scale and with the cap and tube portions removed to disclose the underlying surfaces;

FIG. 5 is a top rear and left side perspective view thereof; and,

FIG. 6 is a front view with the cap element in place; and the tube shown fragmentarily for ease of illustration.

The broken lines showing cleaning system environmental structures are for illustrative purposes only and form no part of the claimed design.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D92,532 S	*	6/1934	Graham	.....	D9/563
D95,904 S	*	6/1935	Fuerst	.....	D9/453
D102,368 S	*	12/1936	Higgins	.....	D9/453
D178,876 S	*	10/1956	Glaberson	.....	D9/563
2,783,919 A	*	3/1957	Ansell	.....	222/211
D190,626 S	*	6/1961	Musichuk	.....	D32/30

(List continued on next page.)

**1 Claim, 5 Drawing Sheets**



# US D485,954 S

Page 2

---

## U.S. PATENT DOCUMENTS

3,094,152 A	6/1963	Kenny et al.			
D200,364 S *	2/1965	Brody .....	D9/447		
D201,791 S *	8/1965	Hershberger et al. ....	D32/30		
D206,913 S *	2/1967	Hills .....	D9/542		
4,065,536 A *	12/1977	Lucas .....	215/382 X		
				* cited by examiner	
				D257,504 S * 11/1980 Weckman .....	D9/563
				D354,683 S * 1/1995 Rupert .....	D9/520
				D394,607 S * 5/1998 Monaghan et al. ....	D9/520
				5,888,006 A 3/1999 Ping et al.	




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6