



US00D486021S

(12) **United States Design Patent**
Dion

(10) **Patent No.:** **US D486,021 S**

(45) **Date of Patent:** **** Feb. 3, 2004**

(54) **T-SHAPED DISPLAY DEVICE**

(75) Inventor: **Larry Dion**, Rydal, PA (US)

(73) Assignee: **LaMi Products, Inc.**, Willow Grove, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/179,196**

(22) Filed: **Apr. 4, 2003**

(51) **LOC (7) Cl.** **06-04**

(52) **U.S. Cl.** **D6/553**

(58) **Field of Search** D6/512-514, 553,
D6/567, 569, 570; 211/13.1, 85.2, 85.3,
60.1, 71.01, 85.15, 85.29, 86.01, 89.01,
113; 248/309.1, 317

(56) **References Cited**

U.S. PATENT DOCUMENTS

D257,709	S	*	12/1980	Lewis	D6/570	X
4,461,387	A		7/1984	Belokin, Jr.			
4,573,590	A	*	3/1986	Ellis	211/85.15	
4,767,012	A		8/1988	Simmons			
D346,922	S	*	5/1994	Lewis	D6/570	

(List continued on next page.)

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Duane Morris LLP

(57) **CLAIM**

The ornamental design for a T-shaped display device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a T-shaped display device according to a first exemplary embodiment of the present invention; FIG. 2 is a rear view of the T-shaped display device shown in FIG. 1;

FIG. 3 is a left side view of the T-shaped display device shown in FIG. 1;

FIG. 4 is a right side view of the T-shaped display device shown in FIG. 1;

FIG. 5 is a top view of the T-shaped display device shown in FIG. 1;

FIG. 6 is a bottom view of the T-shaped display device shown in FIG. 1;

FIG. 7 is a front view of a T-shaped display device according to a second exemplary embodiment of the present invention; FIG. 8 is a rear view of the T-shaped display device shown in FIG. 7;

FIG. 9 is a left side view of the T-shaped display device shown in FIG. 7;

FIG. 10 is a right side view of the T-shaped display device shown in FIG. 7;

FIG. 11 is a top view of the T-shaped display device shown in FIG. 7;

FIG. 12 is a bottom view of the T-shaped display device shown in FIG. 7;

FIG. 13 is a front view of a T-shaped display device according to a third exemplary embodiment of the present invention;

FIG. 14 is a rear view of the T-shaped display device shown in FIG. 13;

FIG. 15 is a left side view of the T-shaped display device shown in FIG. 13;

FIG. 16 is a right side view of the T-shaped display device shown in FIG. 13;

FIG. 17 is a top view of the T-shaped display device shown in FIG. 13;

FIG. 18 is a bottom view of the T-shaped display device shown in FIG. 13;

FIG. 19 is a front view of a T-shaped display device according to a fourth exemplary embodiment of the present invention;

FIG. 20 is a rear view of the T-shaped display device shown in FIG. 19;


FIG. 21 is a left side view of the T-shaped display device shown in FIG. 19;

FIG. 22 is a right side view of the T-shaped display device shown in FIG. 19;

FIG. 23 is a top view of the T-shaped display device shown in FIG. 19; and,

FIG. 24 is a bottom view of the T-shaped display device shown in FIG. 19.

1 Claim, 8 Drawing Sheets



US D486,021 S

Page 2

U.S. PATENT DOCUMENTS						
			D377,123 S	*	1/1997	Hutchens D6/570 X
5,339,967 A	8/1994	Valiulis	5,967,341 A	10/1999	Werner	
5,405,022 A	4/1995	Rissley	6,213,316 B1	4/2001	Gretz	
5,415,370 A	5/1995	Valiulis				
D367,574 S	* 3/1996	Werner D6/570 X				* cited by examiner




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15



FIG. 16



FIG. 17




FIG. 18




FIG. 19



FIG. 20



FIG. 21



FIG. 22



FIG. 23




FIG. 24