



US00D486116S

(12) **United States Design Patent**  
**Maifrini**

(10) **Patent No.:** **US D486,116 S**

(45) **Date of Patent:** **\*\* Feb. 3, 2004**

(54) **WHEEL RIMS**

(75) **Inventor:** **Fulvio Maifrini, Brescia (IT)**

(73) **Assignee:** **Due Emme Mille Miglia S.r.l., Brescia (IT)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/177,135**

(22) **Filed:** **Mar. 5, 2003**

(30) **Foreign Application Priority Data**

Sep. 12, 2002 (IT) ..... MI2002O0605

(51) **LOC (7) Cl. .... 12-16**

(52) **U.S. Cl. .... D12/211**

(58) **Field of Search .... D12/204-211;**  
**301/37.101, 64.101, 65**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D361,547 S \* 8/1995 Weld ..... D12/211
- D368,885 S \* 4/1996 Wagner ..... D12/209
- D396,682 S \* 8/1998 Sacco et al. .... D12/209
- D398,573 S \* 9/1998 Cattaneo ..... D12/211
- D402,952 S \* 12/1998 Sycha ..... D12/211
- D403,289 S \* 12/1998 Watanabe ..... D12/209
- D407,364 S \* 3/1999 Fisker ..... D12/209
- D412,692 S \* 8/1999 Hussaini ..... D12/209
- D413,851 S \* 9/1999 Donikoglu ..... D12/209

- D414,738 S \* 10/1999 Escue ..... D12/209
- D418,798 S \* 1/2000 Muzzarelli et al. .... D12/211
- D421,417 S \* 3/2000 Weidhase ..... D12/209
- D422,258 S \* 4/2000 Hale, Jr. .... D12/211
- D431,516 S \* 10/2000 Kaucher ..... D12/209
- D444,759 S \* 7/2001 Hartl ..... D12/211
- D451,464 S \* 12/2001 Bernoni ..... D12/209
- D452,470 S \* 12/2001 Gabath ..... D12/209
- D455,387 S \* 4/2002 McMath ..... D12/209
- D463,348 S \* 9/2002 Kataoka ..... D12/209
- D466,068 S \* 11/2002 Maifrini ..... D12/211
- D466,461 S \* 12/2002 Kataoka ..... D12/209
- D471,851 S \* 3/2003 McMath ..... D12/209

\* cited by examiner

*Primary Examiner*—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Guido Modiano; Albert Josif; Daniel O’Byrne

(57) **CLAIM**

The ornamental design for the “wheel rims”, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the wheel rim, showing my new design, in a first embodiment;  
FIG. 2 is a side view thereof;  
FIG. 3 is a front perspective view of the wheel rim, in a second embodiment; and,  
FIG. 4 is a side view thereof.

**1 Claim, 4 Drawing Sheets**








*Fig. 1*






*Fig. 2*





*Fig. 3*





*FIG. 4*