



US00D486243S

(12) **United States Design Patent**  
**Yamaoka**

(10) **Patent No.:** **US D486,243 S**

(45) **Date of Patent:** **\*\* Feb. 3, 2004**

(54) **FOOTING PLATFORM ASSEMBLY FOR WORKING**

(75) Inventor: **Yutaka Yamaoka**, Takatsuki (JP)

(73) Assignee: **Alinco, Inc.**, Osaka-Fu (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/181,643**

(22) Filed: **May 14, 2003**

(51) **LOC (7) Cl.** ..... **25-04**

(52) **U.S. Cl.** ..... **D25/66; D25/62**

(58) **Field of Search** ..... **D25/62, 66; 182/117, 182/118, 112, 222**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

472,406 A *	4/1892	Lewis	.....	182/118
D329,903 S *	9/1992	Craig	.....	D25/62
5,678,653 A *	10/1997	Clinch	.....	182/118
5,746,288 A *	5/1998	O'Neal et al.	.....	182/118
D403,783 S *	1/1999	Takai	.....	D25/66

\* cited by examiner

*Primary Examiner*—Doris Clark

(74) *Attorney, Agent, or Firm*—Schweitzer Cornman Gross & Bondell LLP

(57) **CLAIM**

The ornamental design for a footing platform assembly for working, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the footing platform assembly for working;  
 FIG. 2 is a rear elevational view thereof;  
 FIG. 3 is a top view thereof;  
 FIG. 4 is a bottom view thereof;  
 FIG. 5 is a right side elevational view thereof;  
 FIG. 6 is a view, partially in cross section, taken along Line 6—6 of FIG. 1;

FIG. 7 is a cross-sectional view thereof taken along Line 7—7 of FIG. 3;

FIG. 8 is an enlarged cross-sectional view of a cut portion taken along Line 8—8 of FIG. 3;

FIG. 9 is an enlarged view of a portion taken with Line 9—9 of FIG. 1;

FIG. 10 is an enlarged cross-sectional view of a portion taken with line 10—10 of FIG. 7;

FIG. 11 is an enlarged view of a portion taken with Line 11—11 of FIG. 5;

FIG. 12 is an enlarged cross-sectional view of a portion taken with Line 12—12 of FIG. 6;

FIG. 13 is a front elevational view of the footing platform assembly for working in a condition that a pair of right and left leg parts are stretched;

FIG. 14 is a rear elevational view of the footing platform assembly for working in the same condition as in FIG. 13;

FIG. 15 is a top view of the footing platform assembly for working in the same condition as in FIG. 13;

FIG. 16 is a bottom view of the footing platform assembly for working in the same condition as in FIG. 13;

FIG. 17 is a right side elevational view of the footing platform assembly for working in the same condition as in FIG. 13;

FIG. 18 is a front elevational view of the footing platform assembly for working in a condition that a pair of right and left leg parts are folded;

FIG. 19 is a top view of the footing platform assembly for working in the same condition as in FIG. 18;


FIG. 20 is a bottom view of the footing platform assembly for working in the same condition as in FIG. 18;

FIG. 21 is a right side view of the footing platform assembly for working in the same condition as in FIG. 18;

FIG. 22 is a perspective view of the footing platform assembly for working in a condition that a pair of right and left leg parts are telescoped in a small length; and,

FIG. 23 is a perspective view of the footing platform assembly for working in a condition that a pair of right and left leg parts are made longer.

**1 Claim, 10 Drawing Sheets**







FIG. 3




FIG. 4





FIG. 5




FIG. 6




FIG. 7




FIG. 8

FIG. 9







FIG. 10



*FIG. 11*



*FIG. 12*






FIG. 13




FIG. 14



FIG. 15




FIG. 16





FIG. 17






FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23