



US00D486511S

(12) **United States Design Patent**  
**Kalbach**

(10) **Patent No.:** **US D486,511 S**

(45) **Date of Patent:** **\*\* Feb. 10, 2004**

(54) **EYEGLOSS RETAINER**

**FOREIGN PATENT DOCUMENTS**

(75) Inventor: **Edward Van Lee Kalbach**, Nibley, UT (US)

IT 502283 11/1954

**OTHER PUBLICATIONS**

(73) Assignee: **EK Ekcessories, Inc.**, Nibley, UT (US)

Frames Catalog Harley-Davidson Eyewear, p. 25, Jun. 1996.

(\*\*) Term: **14 Years**

*Primary Examiner*—Raphael Barkin

(21) Appl. No.: **29/175,209**

(74) *Attorney, Agent, or Firm*—TraskBritt

(22) Filed: **Jan. 31, 2003**

(57) **CLAIM**

(51) **LOC (7) Cl.** ..... **16-06**

The ornamental design for an eyeglass retainer, as shown and described.

(52) **U.S. Cl.** ..... **D16/339**

(58) **Field of Search** ..... D16/300, 303, D16/309, 311, 312, 330, 335, 336, 339; D21/804; D2/866, 878; 351/41, 44, 51, 52, 123, 156, 157, 158, 43; 2/448, 452

**DESCRIPTION**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,819,738	A	*	8/1931	Daniels	.....	351/157
2,481,946	A		9/1949	Pendleton		
2,539,922	A		1/1951	Nyberg		
2,660,092	A		11/1953	Bloom		
2,704,961	A		3/1955	Weil		
3,397,026	A		8/1968	Spina		
3,450,467	A		6/1969	Phillips		
3,874,776	A		4/1975	Seron		
3,879,804	A		4/1975	Lawrence		
4,133,604	A		1/1979	Fuller		
4,541,696	A	*	9/1985	Winger et al.	.....	351/123
4,657,364	A		4/1987	Murrell		
D291,894	S		9/1987	Weisenfeld et al.		
4,696,556	A		9/1987	Perry, III		
D309,619	S	*	7/1990	Kalbach	.....	D16/339
4,976,531	A		12/1990	Kahaney		
4,978,210	A		12/1990	Lundbeck		
5,002,381	A		3/1991	Murrell		
5,015,085	A		5/1991	May		

FIG. 1 is a perspective view of an eyeglass retainer according to my new design.

The eyeglass retainer is shown in association with a pair of eyeglasses, in a first installed condition. The pair of eyeglasses, shown in broken lines, does not form part of the claimed design;

FIG. 2 is a perspective view of the eyeglasses retainer of FIG. 1, with the eyeglass retainer being shown in a second installed condition with respect to the pair of eyeglasses;

FIG. 3 is a perspective view of the eyeglass retainer of FIG. 1, with the eyeglass retainer being shown in a third installed condition with respect to the pair of eyeglasses;

FIG. 4 is a top plan view of the eyeglass retainer of FIG. 1, the bottom plan view being a mirror image thereof;


FIG. 5 is a right side view of the eyeglass retainer of FIG. 1, the left side view being a mirror image thereof;

FIG. 6 is a front view of the eyeglass retainer of FIG. 1; and, FIG. 7 is a rear view of the eyeglass retainer of FIG. 1.

The broken line representation of the pair of eyeglasses in FIGS. 1-3 represents environmental structure and is for illustrative purposes only. The broken line representation forms no part of the claimed design.

(List continued on next page.)

**1 Claim, 5 Drawing Sheets**



# US D486,511 S


Page 2

---


## U.S. PATENT DOCUMENTS

5,092,668 A	3/1992	Welch et al.	5,860,191 A	1/1999	Sieger
D328,908 S	8/1992	Kalbach	D416,038 S	11/1999	Kalbach
5,151,778 A	9/1992	Conley	6,000,795 A	12/1999	Van Rysselberghe
5,157,425 A	10/1992	Liu	D420,039 S *	2/2000	Carey et al. .... D16/339
5,369,452 A	11/1994	Williams	6,092,897 A	7/2000	Smerdon, Jr.
D354,759 S	1/1995	Wolff	6,182,334 B1	2/2001	Davancens
D354,760 S	1/1995	Wolff	D456,870 S *	5/2002	Suissa ..... D21/804
5,575,042 A	11/1996	Kalbach	6,478,419 B1 *	11/2002	McDaniel ..... 351/43
5,654,787 A	8/1997	Barison	6,511,176 B2 *	1/2003	Kliot ..... 351/156
D403,346 S	* 12/1998	Roberts ..... D16/339			

\* cited by examiner



**Fig. 1**



**Fig. 2**






Fig. 3




**Fig. 4**



**Fig. 5**





***Fig. 6***



***Fig. 7***