



US00D486822S

(12) **United States Design Patent**
Itou et al.

(10) **Patent No.:** **US D486,822 S**

(45) **Date of Patent:** **** Feb. 17, 2004**

(54) **RACKMOUNT SERVER**

(75) Inventors: **Masakatsu Itou**, Saijo (JP); **Tamotsu Senda**, Onsen-gun (JP); **Kouji Yukikado**, Saijo (JP)

(73) Assignee: **Matsushita Electric Industrial Co., LTD**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/183,186**

(22) Filed: **Jun. 6, 2003**

(30) **Foreign Application Priority Data**

Feb. 12, 2003 (JP) 2003-003142

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/313**

(58) **Field of Search** D14/300, 308,
D14/310, 311, 312, 313, 349-355; 361/683,
724; 312/223.2

(56) **References Cited**

U.S. PATENT DOCUMENTS

D279,675 S * 7/1985 Akiyama D14/354
D311,388 S * 10/1990 Yoshitake D14/348
D319,225 S * 8/1991 Kline et al. D14/368

D351,142 S * 10/1994 Foy et al. D14/348
D351,145 S * 10/1994 Hill et al. D14/362
D471,908 S * 3/2003 Stone et al. D14/356

OTHER PUBLICATIONS

Products Catalog, Owltech, Jun. 2002, vol. X, pp. 11-12 + cover and index, <http://www.owltech.co.jp/>.

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione


(57) **CLAIM**

The ornamental design for a rackmount server, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a rackmount server of the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a first side view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a second side view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a rear view thereof.

1 Claim, 3 Drawing Sheets






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7