



US00D486841S

(12) **United States Design Patent**
Reedy et al.

(10) **Patent No.:** **US D486,841 S**

(45) **Date of Patent:** **** Feb. 17, 2004**

(54) **MEDALLION AND HOUSING FOR A BARRIER MOVEMENT OPERATOR**

(75) Inventors: **Michael Reedy**, Chicago, IL (US);
Tong Jin Kim, Chicago, IL (US);
Michael D. Prince, Chicago, IL (US)

(73) Assignee: **The Chamberlain Group, Inc.**,
Elmhurst, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/172,599**

(22) Filed: **Dec. 13, 2002**

(51) **LOC (7) Cl.** **15-99**

(52) **U.S. Cl.** **D15/199**

(58) **Field of Search** D15/199; 49/26,
49/139, 199, 280, 362

(56) **References Cited**

U.S. PATENT DOCUMENTS

D432,551 S	*	10/2000	Luke	D15/199
D469,115 S	*	1/2003	Coullahan et al.	D15/148
D478,605 S	*	8/2003	Guzman et al.	D15/199

* cited by examiner

Primary Examiner—Lisa Lichtenstein

(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin & Flannery

(57) **CLAIM**


We claim the ornamental design for a medallion and housing for a barrier movement operator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the medallion and housing for a barrier movement operator showing our new design; FIG. 2 is a front elevational view of the medallion and housing for a barrier movement operator of FIG. 1; FIG. 3 is a rear elevational view of the medallion and housing for a barrier movement operator of FIG. 1; FIG. 4 is a left side elevational view of the medallion and housing for a barrier movement operator of FIG. 1; FIG. 5 is a right side elevational view of the medallion and housing for a barrier movement operator of FIG. 1; FIG. 6 is a top plan view of the medallion and housing for a barrier movement operator of FIG. 1; FIG. 7 is a bottom plan view of the medallion and housing for a barrier movement operator of FIG. 1; FIG. 8 is a perspective view of the medallion of the medallion and housing for a barrier movement operator of FIG. 1; FIG. 9 is a front elevational view of the medallion of the medallion and housing for a barrier movement operator of FIG. 8; FIG. 10 is a rear elevational view of the medallion of the medallion and housing for a barrier movement operator of FIG. 8; FIG. 11 is a top plan view of the medallion of the medallion and housing for a barrier movement operator of FIG. 8; FIG. 12 is a bottom plan view of the medallion of the medallion and housing for a barrier movement operator of FIG. 8; FIG. 13 is a right side elevational view of the medallion of the medallion and housing for a barrier movement operator of FIG. 8; and, FIG. 14 is a left side elevational view of the medallion of the medallion and housing for a barrier movement operator of FIG. 8.

The broken line showing of environmental structure in FIGS. 10–14 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14