



US00D486945S

(12) **United States Design Patent**  
**Brock et al.**

(10) **Patent No.:** **US D486,945 S**

(45) **Date of Patent:** **\*\* Feb. 17, 2004**

(54) **COMBINED FIRE EXTINGUISHER AND BAG THEREFOR**

(75) Inventors: **James Ray Brock**, Greensboro, NC (US); **Ronald Coble Mauney**, Snow Camp, NC (US)

(73) Assignee: **Walter Kidde Portable Equipment, Inc.**, Mebane, NC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/158,130**

(22) Filed: **Mar. 29, 2002**

(51) **LOC (7) Cl.** ..... **29-01**

(52) **U.S. Cl.** ..... **D29/126; D29/130**

(58) **Field of Search** ..... D29/125, 126, D29/129, 130; D3/202, 215, 229, 303, 11, 255, 262, 226; 169/30, 71, 74-78, 88; 220/903, 592.16; D7/607, 624.2; 150/154, 901; 224/148.1, 148.4, 148.5, 148.6

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,320,646	A	*	11/1919	Paterson	.....	383/43
2,494,632	A	*	1/1950	Rodin	.....	248/102
2,522,381	A	*	9/1950	Kramer	.....	215/12.1
D250,353	S	*	11/1978	Avant	.....	D29/126
4,755,407	A	*	7/1988	Mortensen et al.	.....	428/34.5
D310,942	S	*	10/1990	Woodall	.....	D7/607
5,005,374	A	*	4/1991	Spitler	.....	62/259.3
D319,898	S	*	9/1991	Whitworth	.....	D23/206
D344,413	S	*	2/1994	Bedrosian et al.	.....	D3/202
D349,010	S	*	7/1994	Johnson	.....	D7/619.1
D373,677	S	*	9/1996	Kelly	.....	D3/229
D440,828	S	*	4/2001	Burrus	.....	D7/624.2
D467,418	S	*	12/2002	Perron	.....	D3/229

**OTHER PUBLICATIONS**

Direct Safety Company Catalog, 1983, p. 57, fire extinguisher covers.\*

Kidde Fire Away Brochure, Aug., 1991, fire extinguishers #5, #10 and #110.\*

Ex. E: "Dust Cover", <http://www.pekinc.com/fire.html>, P.E.K. Inc., 1 page (date unknown).

Ex. F: "Dust Cover", <http://www.pro-am.com>, Safety Product Store, 1 page (date unknown).

Exhibits A-D are four views of a fire extinguisher distributed by Kidde Safety, Mebane, NC, Model # KFH/FA110G, 4 pages (Date Unknown).

\* cited by examiner

*Primary Examiner*—Lucy Lieberman

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for a combined fire extinguisher and bag therefor, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a combined fire extinguisher and bag therefor showing our new design;

FIG. 2 is a rear elevational view of the combined fire extinguisher and bag therefor depicted in FIG. 1;

FIG. 3 is a front elevational view of the combined fire extinguisher and bag therefor depicted in FIG. 1;


FIG. 4 is a left side elevation of the combined fire extinguisher and bag therefor;

FIG. 5 is a right side elevation of the combined fire extinguisher and bag therefor;


FIG. 6 is a top plan view of the combined fire extinguisher and bag therefor depicted in FIG. 1; and,

FIG. 7 is a bottom plan view of the combined fire extinguisher and bag therefor depicted in FIG. 1.

**1 Claim, 6 Drawing Sheets**



**FIG. 1**







FIG. 2



**FIG. 3**







FIG. 4



**FIG. 5**

**FIG. 6**



**FIG. 7**