



US00D486961S

(12) **United States Design Patent**
Prince et al.

(10) **Patent No.:** **US D486,961 S**

(45) **Date of Patent:** **** Feb. 24, 2004**

(54) **LOCKER MIRROR**

(75) Inventors: **Michael D. Prince**, Chicago, IL (US);
Tong J. Kim, Chicago, IL (US); **Sona N. Patadia**, Hanover Park, IL (US)

(73) Assignee: **L&N Sales and Marketing, Inc.**,
Hatboro, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/182,277**

(22) Filed: **May 21, 2003**

(51) **LOC (7) Cl.** **06-07**

(52) **U.S. Cl.** **D6/302**

(58) **Field of Search** D6/300-303, 309-314;
40/700, 711, 722, 724, 729, 745, 747, 749,
780, 790, 798, 757; 359/876, 879, 882,
838, 871; D28/64.1

4,639,102 A	1/1987	Fetko et al.
4,682,310 A	7/1987	Lund et al.
4,860,989 A	8/1989	Rose et al.
4,933,822 A	6/1990	NakaMats
4,950,065 A	8/1990	Wyman
D315,568 S	3/1991	Dalbo
5,222,643 A	6/1993	Platt
D347,589 S	6/1994	LaBate
5,361,169 A	11/1994	Deal
5,431,207 A	7/1995	Siegel
D379,125 S	5/1997	Simjian
5,775,398 A	7/1998	Siegel
D399,605 S	10/1998	Metcalf
D401,019 S	11/1998	Felicetta
6,002,651 A	12/1999	Baccaray
D423,723 S	4/2000	Metcalf
D429,383 S	8/2000	Thorpe

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

DE 4130034 A 4/1993

Primary Examiner—Janice E. Seeger
(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

D55,277 S	5/1920	Kominkiewicz	
1,584,205 A	5/1926	Zaldo	
1,609,481 A	12/1926	McCarthy et al.	
D79,071 S	7/1929	Gebauer	
1,982,248 A	11/1934	Gebhardt	
1,989,437 A	1/1935	Weisz	
2,235,281 A	3/1941	Carver	
2,265,094 A	12/1941	Wolfe	
D146,364 S	2/1947	Kalil	
D155,096 S	9/1949	MacWilliams	
D157,639 S	3/1950	Shea	
3,598,987 A	8/1971	Kipping	
4,067,535 A	1/1978	Rose	
4,132,018 A	* 1/1979	Hughes	40/780
D262,494 S	12/1981	Pokorny	
D267,763 S	* 2/1983	Huck	D6/302
D268,877 S	* 5/1983	Loewenstine	D28/9
D271,737 S	* 12/1983	Huck	D6/302
D275,900 S	10/1984	Spector	
D278,558 S	4/1985	Shenken et al.	
4,556,299 A	12/1985	Silver	


(57) **CLAIM**

The ornamental design for a locker mirror, as shown and described.

DESCRIPTION

FIG. 1 is front view of a locker mirror showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof, the bottom plan view being a mirror image; and,
FIG. 4 is a right side elevational view of the locker mirror shown in FIG. 1, the left side elevational view being a mirror image.
The broken line showing of environment in FIGS. 2-4 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D486,961 S

Page 2

U.S. PATENT DOCUMENTS

6,099,133 A 8/2000 Wright
D435,939 S 1/2001 Thorpe et al.
6,189,542 B1 2/2001 Shepard

D439,079 S 3/2001 Freese et al.
6,206,530 B1 3/2001 Eberts
D442,371 S 5/2001 Eberts

* cited by examiner




FIG. 2




FIG. 1




FIG. 4



FIG. 3