



US00D486981S

(12) **United States Design Patent**  
Post et al.

(10) **Patent No.:** **US D486,981 S**

(45) **Date of Patent:** **\*\* Feb. 24, 2004**

(54) **PORTION OF A SYSTEM USING MESH  
DRAWERS, FRAMES AND RUNNER  
ELEMENTS**

- (75) Inventors: **R. Neal Post**, Springfield, IL (US);  
**Christopher Hardy**, Springfield, IL (US)
- (73) Assignee: **Design Ideas, Ltd.**, Springfield, IL (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/181,262**
- (22) Filed: **May 7, 2003**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 10/308,699, filed on Dec. 3, 2002, which is a continuation-in-part of application No. 29/148,906, filed on Sep. 28, 2001.

- (51) **LOC (7) Cl.** ..... **06-04**
- (52) **U.S. Cl.** ..... **D6/465**
- (58) **Field of Search** ..... D6/396, 397, 436,  
D6/437, 411, 415, 449, 465-469, 475, 476;  
108/59, 91-94; 211/11, 13.1, 85.1, 85.2,  
85.4, 70, 78, 107, 131.1, 133.2, 163, 164,  
181.1, 182

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

297,382 A 4/1884 Golding

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

FR	826876	4/1938
TW	086202707	2/1998

**OTHER PUBLICATIONS**

The Container Store Catalog, elfa drawer unit (linen closet arrangement), p. 9, 1999.\*

(List continued on next page.)

*Primary Examiner*—Cathron C. Brooks

(74) *Attorney, Agent, or Firm*—SAIDMAN DesignLaw Group

(57) **CLAIM**

The ornamental design for a portion of a system using mesh drawers, frames and runner elements, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a portion of a system using mesh drawers, frames and runner elements showing our new design, wherein 1- and 2-runner drawers are supported by the frame;

FIG. 2A is an enlarged, partial, perspective view of the top section thereof;

FIG. 2B is an enlarged, partial, perspective view of the bottom section thereof;

FIG. 3 is a front view of the system of FIG. 1;

FIG. 4 is a back view thereof;

FIG. 5 is a side view thereof, the opposite side view being identical thereto;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and

FIG. 8 is an enlarged, fragmentary view of an exemplary wire mesh used in the foregoing system.

FIG. 9 is a perspective view of a second embodiment of a portion of a system using mesh drawers, frames and runner elements showing our new design;

FIG. 10 is a front view thereof, the back view being identical thereto;

FIG. 11 is a side view thereof, the opposite side view being identical thereto;

FIG. 12 is a top view thereof, the bottom view being identical thereto;

FIG. 13 is a perspective view of a third embodiment of a system using mesh drawers, frames and runner elements showing our new design;

FIG. 14 is a front view of thereof, the back view being identical thereto;



FIG. 15 is a side view thereof, the opposite side view being identical thereto; and,

FIG. 16 is a top view thereof, the bottom view being identical thereto.

The jagged broken lines surrounding the somewhat U-shaped openings in the front of the drawers indicate that no particular handle shape is being claimed, represent boundaries of the claimed design and form no part of the claimed design.

The broken lines representing connectors in the drawings form no part of the claimed design. The mesh material that may be visible through each of the somewhat U-shaped openings and through the holes in the mesh has been removed for clarity.

**1 Claim, 17 Drawing Sheets**



# US D486,981 S

Page 2

## U.S. PATENT DOCUMENTS

887,097	A	5/1908	Kimber		
893,786	A	7/1908	Collins		
920,313	A	5/1909	Franklin		
933,517	A	9/1909	Worcester		
994,984	A	6/1911	Dennis		
1,098,053	A	* 5/1914	Porter	.....	220/485
1,408,026	A	2/1922	Ochiltree		
1,413,908	A	4/1922	Green		
1,445,259	A	2/1923	Wiselogel		
1,463,098	A	7/1923	Snyder		
RE16,431	E	9/1926	Kratzer		
D152,141	S	* 12/1948	Crawford et al.	.....	D3/306
2,502,781	A	* 4/1950	Erikson	.....	220/491
2,825,481	A	3/1958	Glenny		
D182,349	S	4/1958	Alvord		
2,905,519	A	9/1959	O'Neil		
D189,544	S	1/1961	Harris		
D189,550	S	1/1961	Alvord		
D194,513	S	2/1963	Sparling		
3,120,323	A	2/1964	Sparling		
D204,314	S	4/1966	Bright		
D207,308	S	4/1967	Bell		
3,610,429	A	10/1971	MacKay		
D227,964	S	7/1973	Propst		
3,868,123	A	2/1975	Berg et al.		
4,339,048	A	7/1982	McMillen et al.		
D267,395	S	12/1982	Groenewold et al.		
4,509,805	A	4/1985	Welsch et al.		
D300,488	S	4/1989	Yoshikawa		
D303,444	S	9/1989	Yoshikawa		
D328,993	S	9/1992	Rosenthal		
D329,556	S	* 9/1992	Brussing	.....	D6/468
D329,765	S	9/1992	Ackley et al.		
D330,813	S	11/1992	Spitzer et al.		
D340,369	S	10/1993	Dokoupil et al.		
D341,459	S	* 11/1993	Yang	.....	D34/21
5,263,595	A	11/1993	Hilstolsky		
D360,531	S	7/1995	Griffith		
D365,226	S	12/1995	Goebel		
D370,144	S	5/1996	Insalaco et al.		
D373,039	S	8/1996	Cohen et al.		
5,605,344	A	2/1997	Insalaco et al.		
5,673,984	A	10/1997	Insalaco et al.		
5,685,442	A	11/1997	Yoshino et al.		
5,810,179	A	9/1998	Kleiman		
D408,175	S	4/1999	Daniels et al.		
D409,866	S	5/1999	West		
D411,045	S	6/1999	Morandi		
D416,165	S	11/1999	Zemel		
D418,998	S	1/2000	Glassenberg		
D419,302	S	1/2000	Hardy et al.		
6,032,965	A	* 3/2000	Sabounjian	.....	280/47.35
D430,375	S	8/2000	Tezak		
D432,752	S	10/2000	Andujar et al.		
D434,074	S	11/2000	Hardy		
D436,239	S	1/2001	Walsh		
D436,461	S	1/2001	Walker		
D436,466	S	* 1/2001	Luong et al.	.....	D6/478
D438,402	S	* 3/2001	Walsh	.....	D6/449
D445,281	S	7/2001	Tsong-Yow		
D450,481	S	11/2001	Post		
D451,675	S	12/2001	Hardy et al.		
D453,027	S	1/2002	Andujar		
D455,029	S	4/2002	Gusdorf		
D460,848	S	* 7/2002	Tzeng	.....	D34/21
D462,543	S	9/2002	Childers		
D465,947	S	11/2002	Andersen et al.		

## OTHER PUBLICATIONS

The Container Store, The Ultimate Planning Guide, revised Nov. 2001.  
HK Enterprise, Oct. 1999, p. 98, Item NH-11.  
Design Ideas Holiday Catalogue, 1997, pp. cover page, 62 and 63.  
Design Ideas Catalogue, 1995, pp. cover page, 24, 26, 27 and 29.  
Miller's Office Products, 1995, p. 442, Item C.

\* cited by examiner




FIG.1




FIG.2A

CONTINUED  
ON  
FIG.2B

CONTINUED  
FROM  
FIG.2A







FIG.2B



**FIG.3**




**FIG.4**




**FIG.5**







**FIG.6**




**FIG.7**




**FIG.8**




**FIG. 9**




**FIG. 10**



**FIG. 11**




**FIG. 12**




**FIG. 13**






**FIG. 14**



**FIG. 15**



**FIG. 16**

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 486,981 S  
DATED : February 24, 2004  
INVENTOR(S) : R. Neal Post and Christopher Hardy

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings,

reads, "FIG. 8, is an enlarged, fragmentary view of an exemplary wire mesh used in the foregoing system.


FIG. 15, is a side view thereof, the opposite side view being identical thereto; and," should be

-- FIG. 8, is an enlarged, fragmentary view of an exemplary wire mesh used in the system shown in FIGS. 1-7 and 9-20;

FIG. 15, is a side view thereof, the opposite side view being identical thereto; and --

Signed and Sealed this

Twenty-ninth Day of June, 2004



JON W. DUDAS

*Acting Director of the United States Patent and Trademark Office*