



US00D487088S

(12) **United States Design Patent**
Lum et al.

(10) **Patent No.:** **US D487,088 S**

(45) **Date of Patent:** **** Feb. 24, 2004**

(54) **INTEGRATED KEYBOARD**

(75) Inventors: **Jackson Lum**, Roslyn, NY (US);
Shang Qiang Wu, Zhao Qin (CN)

(73) Assignee: **Logic Controls, Inc.**, New Hyde Park,
NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/174,974**

(22) Filed: **Jan. 28, 2003**

D446,210 S 8/2001 Lum et al.
6,312,175 B1 11/2001 Lum
D454,876 S 3/2002 Lum et al.
D469,435 S * 1/2003 Lum D14/391

* cited by examiner

Primary Examiner—Freda Nunn

(74) *Attorney, Agent, or Firm*—Hoffmann & Baron, LLP

(57) **CLAIM**

The ornamental design for an integrated keyboard, as shown and described.

Related U.S. Application Data

(63) Continuation of application No. 29/142,774, filed on Jun. 1, 2001, now Pat. No. Des. 469,435, which is a continuation of application No. 09/282,286, filed on Mar. 31, 1999, now Pat. No. 6,312,175.

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/391; D14/385**

(58) **Field of Search** D14/391–398,
D14/383–386; D18/1, 2, 7; 178/17 A, 17 C;
200/5 A, 5 R, 6 A, 6 R; 235/145 A, 145 R;
341/22, 23; 345/160, 168; 400/484–489

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D312,625 S 12/1990 Wetzel
- 4,988,851 A 1/1991 Kohno et al.
- D314,965 S 2/1991 Langton
- 5,019,694 A 5/1991 Collins, Jr.
- D319,632 S 9/1991 Heimburger
- 5,189,291 A 2/1993 Siemiatkowski
- D365,334 S 12/1995 Peart
- D371,777 S 7/1996 Wolf et al.
- D386,754 S 11/1997 Gifford et al.
- 6,129,270 A 10/2000 Piazza
- D438,207 S 2/2001 Baker

DESCRIPTION

FIG. 1 is a front perspective view of the integrated keyboard including a magnetic card reader. The keypads, keyboard lock and pencil holders are shown in phantom and are not part of the claimed design. The magnetic card reader is shown on the left side of the keyboard but the left side and the right side are interchangeable and the magnetic card reader can also be located on the right side of the keyboard.

FIG. 2 is a plan view of the integrated keyboard including a magnetic card reader in accordance with the description of FIG. 1.

FIG. 3 is a side view of the integrated keyboard including a magnetic card reader in accordance with the description of FIG. 1

FIG. 4 is a side view of the integrated keyboard including a magnetic card reader in accordance with the description of FIG. 1

FIG. 5 is a front perspective view of the integrated keyboard including a magnetic card reader in accordance with the description of FIG. 1; and,

FIG. 6 is a rear perspective view of the integrated keyboard including a magnetic card reader in accordance with the description of FIG. 1.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

