

(12) United States Design Patent (10) Patent No.: US D487,153 S ****** Feb. 24, 2004 Schulter et al. (45) **Date of Patent:**

DENTAL IMPLANT ABUTMENT (54)

Inventors: Carl W. Schulter, Memphis, TN (US); (75)Gary Qi, Memphis, TN (US); Andrew J. Schulter, Germantown, TN (US)

Cagenix, Inc., Memphis, TN (US) (73)Assignee:

14 Years (**` Term:

6,039,568	Α	3/2000	Hinds 433/175
6,120,292	Α	9/2000	Buser et al 433/173
6,120,293	Α	9/2000	Lazzara et al 433/173
6,129,548	Α	10/2000	Lazzara et al 433/172
6,155,828	Α	12/2000	Lazzara et al 433/173
6,174,166	B 1	1/2001	Jorneus 433/172
6,227,856	B 1	5/2001	Beaty et al 433/172
6,244,867	B 1		Aravena et al 433/172
6,250,922	B 1	6/2001	Bassett et al 433/172
6,287,117	B 1	9/2001	Niznick 433/173
6,358,050	B 1	3/2002	Bergstrom et al 433/173
D455,833	S	4/2002	Daftary D24/155
6,386,876	B 1	5/2002	Lee
6,394,806	B 1	5/2002	Kumar 433/173
6,431,866	B 2	8/2002	Hurson 433/172
6,431,867	B 1	8/2002	Gittelson et al 433/173
6,474,991	B 1	11/2002	Hansson 433/173
D470,939	S	2/2003	Daftary D24/156

Appl. No.: 29/178,012 (21)

Mar. 18, 2003 (22)Filed:

(51) (52) Field of Search D24/156; 433/172–174, (58)433/180-181

References Cited (56)

U.S. PATENT DOCUMENTS

4,850,873 A	7/1989	Lazzara et al 433/220
4,960,381 A	10/1990	Niznick 433/174
4,988,298 A	1/1991	Lazzara et al 433/173
5,030,095 A	7/1991	Niznick 433/173
5,061,181 A	10/1991	Niznick 433/174
5,071,350 A		Niznick 433/173
5,281,140 A	1/1994	Niznick 433/172
5,338,196 A		Beaty et al 433/172
5,433,606 A		Niznick et al 433/173
5,527,182 A	6/1996	Willoughby 433/172
5,547,377 A		Daftary
5,622,500 A	4/1997	Niznick 433/173
5,662,473 A	9/1997	Rassoli et al 433/172
5,725,375 A	3/1998	Rogers 433/172
5,772,437 A	6/1998	Rangert et al 433/174
5,779,480 A	7/1998	Groll et al 433/173
5,810,592 A	9/1998	Daftary 433/173
D401,694 S	11/1998	Daftary D24/155
5,829,977 A	11/1998	Rogers 433/172
5,873,722 A	2/1999	Lazzara et al 433/173
5,899,697 A	5/1999	Lazzara et al 433/173
5,947,733 A	9/1999	Sutter et al 433/173
5,967,781 A	10/1999	Gittleman 433/172
5,984,680 A		Rogers 433/173
6,012,923 A		Bassett et al 433/172
· · ·	-	•

OTHER PUBLICATIONS

Managing the Soft Tissue Margin: The Key to Implant Aethetics Lazzara, Practical Periodontics and Aesthetic Dentistry, vol. 5, Jun./Jul. 1993 (8 pages). "Anterior Implant-Supported Reconstructions: A Surgical Challenge" Practical Periodontics & Aesthetic Dentistry 1999; 11(5); 551–558. "Recession of the soft tissue margin at oral implants" Bengazi et al., Clinical Oral Implants Research, 7: 303–310. AltatecBiotecnologies, "The Camlog Abutments". "Aesthetic Soft Tissue Integration and Optimized Emergence Profile: Provisionalization and Customized Impression Coping", Practical Periodontics & Aesthetic Dentistry 1999; 11(3); 305–314.

Primary Examiner—Antoine Duval Davis (74) Attorney, Agent, or Firm-Butler, Snow, O'Mara, Stevens & Cannada, PLLC.

CLAIM (57)

The ornamental design for a dental implant abutment, as shown and described.

DESCRIPTION

The related applications include "Urinary Dental Implant", Ser. No. 29177,938; "Dental Implant Fixture", Ser. No. 29/177,946; "Dental Implant Fixture", Ser. No. 29/177,947;



US D487,153 S Page 2

"Dental Implant Fixture", Ser. No. 29/177,944; "Dental Implant Fixture", Ser. No. 29/177,939; "Dental Implant Fixture", Ser. No. 29/177,945; "Dental Implant Fixture", Ser. No. 29/177,950; "Dental Implant Abutment", Ser. No. 29/177,925; "Dental Implant Abutment", Ser. No. 29/177,926; "Dental Implant Abutment", Ser. No. 29/177,926; "Dental Implant Abutment", Ser. No. 29/177,948, all of which are filed contemporaneously herewith.

FIG. 1 is a top perspective view of a first embodiment of the dental implant abutment according to the present invention; FIG. 2 is a top view of the first embodiment of the dental implant abutment;

FIG. 16 is a top view of the third embodiment of the dental implant abutment;

FIG. 17 is a left side view of the third embodiment of the dental implant abutment;

FIG. 18 is a front view of the third embodiment of the dental implant abutment;

FIG. 19 is a right side view of the third embodiment of the dental implant abutment;

FIG. 20 is a rear view of the third embodiment of the dental implant abutment; and,

FIG. 3 is a left side view of the first embodiment of the dental implant abutment;

FIG. 4 is a front view of the first embodiment of the dental implant abutment;

FIG. 5 is a right side view of the first embodiment of the dental implant abutment;

FIG. 6 is a rear view of the first embodiment of the dental implant abutment;

FIG. 7 is a bottom view of the first embodiment of the dental implant abutment;

FIG. 8 is a top perspective view of a second embodiment of the dental implant abutment;

FIG. 9 is a top view of the second embodiment of the dental implant abutment;

FIG. 10 is a left side view of the second embodiment of the dental implant abutment;

FIG. 11 is a front view of the second embodiment of the dental implant abutment;

FIG. 12 is a right side view of the second embodiment of the dental implant abutment;

FIG. 13 is a rear view of the second embodiment of the dental implant abutment;FIG. 14 is a bottom view of the second embodiment of the dental implant abutment;FIG. 15 is a top perspective view of a third embodiment of the dental implant abutment;

FIG. 21 is a bottom view of the third embodiment of the dental implant abutment.

FIGS. 1–7 illustrate a first embodiment of a dental implant abutment. The environment is shown in broken lines and forms no part of the design.

FIGS. 8–14 illustrate a second embodiment of the dental implant abutment. The environment is shown in broken lines and forms no part of the design. Elements of the abutment that form no part of the design of the second embodiment are shown in dashed lines.

FIGS. 15–21 illustrate a third embodiment of the dental implant abutment. The environment is shown in broken lines and forms no part of the design. Elements of the abutment that form no part of the design of the third embodiment are shown in dashed lines.

The three embodiments of the dental implant abutment illustrated in FIGS. 1–21 are preferred for use on one side of the mouth. Three further embodiments of the dental implant abutment that are preferred for use on the other side of the mouth are mirror images of the three embodiments illustrated in FIGS. 1–21. These three additional embodiments

are also intended to fall within the scope of the claim. However, since they are mirror images, they are not separately illustrated.

1 Claim, 3 Drawing Sheets

U.S. Patent US D487,153 S Feb. 24, 2004 Sheet 1 of 3





.

74.

F14. 2











F16.5



F1G. 4

F1G. 3



.





U.S. Patent US D487,153 S Feb. 24, 2004 Sheet 2 of 3







F16. 9











FIG. 12 FIG. 11

F1G. 10









FIG. 14

U.S. Patent US D487,153 S Feb. 24, 2004 Sheet 3 of 3



FIG. 15

.



F14. 10









┟┷╴╼┯┯╴╺┯┨

الباليب ومستعيد ومعل

FIG. 19 FIG. 18 FIG. 17





FIG. 21