

US00D487422S

(12) United States Design Patent (10) Patent No.: Mitchell (45) Date of Patent (10)

(45) Date of Patent: ** Mar. 9, 2004

US D487,422 S

(54) BODY-RECEIVING AND BODY-CONCEALING BIRD BLIND

(75) Inventor: David Mitchell, West Syracuse, UT

(US)

(73) Assignee: Kolpin Outdoors, Inc., Fox Lake, WI

(US)

(**) Term: 14 Years

(21) Appl. No.: 29/166,788

(22) Filed: Sep. 4, 2002

(52) U.S. Cl. D12/317

(56) References Cited

U.S. PATENT DOCUMENTS

OTHER PUBLICATIONS

Catalog—Outlaw Decoys (2 pages), no known date as to any of the following.

Tradewinds Pitblinds Webpage (2 pages).

Riverside Products Webpage (4 pages).

Otter Outdoors Webpage (4 pages), no known date as to any of the following.

Pop-Up Blinds Webpage (1 pages).

Cabela's Waterfowl (2 pages).

* cited by examiner

Primary Examiner—Lisa Lichtenstein

(74) Attorney, Agent, or Firm—Brian G. Gilpin; Godfrey & Kahn, S.C.

(57) CLAIM

The ornamental design for a body-receiving and body-concealing bird blind, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a body-receiving and body-concealing bird blind showing my new design;

FIG. 2 is a perspective view thereof, the broken line showing of environmental structure being for illustrative purposes only and forming no part of the claimed design;

FIG. 3 is a side elevation view thereof;

FIG. 4 is a cross-sectional view taken along lines 4—4 of FIG. 1;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof;

FIG. 7 is a cross-sectional view taken along lines 7—7 of

FIG. 1;

FIG. 8 is a cross-sectional view taken along lines 8—8 of


FIG. 1;


FIG. 9 is an enlarged cross-sectional view taken along lines 9—9 of FIG. 2, the broken line showing of environmental structure being for illustrative purposes only and forming no part of the claimed design;


FIG. 10 is a top plan view thereof; and,


FIG. 11 is a bottom plan view thereof.


1 Claim, 7 Drawing Sheets























US D487,422 S

