



US00D487723S

(12) **United States Design Patent** (10) **Patent No.:** **US D487,723 S**
Shimada (45) **Date of Patent:** **** Mar. 23, 2004**

(54) **PHOTOELECTRIC CONVERSION DEVICE**

(75) Inventor: **Kazuhiro Shimada**, Kawasaki (JP)

(73) Assignee: **Kabushiki Kaisha Toshiba**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/161,224**

(22) Filed: **May 28, 2002**

(30) **Foreign Application Priority Data**

Nov. 29, 2001 (JP) 2001-035097

(51) **LOC (7) Cl.** **13-01**

(52) **U.S. Cl.** **D13/101**

(58) **Field of Search** D13/101; 250/239,
250/208.1, 214 A, 214 R, 214.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,309,605 A * 1/1982 Okabe 250/239
5,132,532 A * 7/1992 Watanabe 250/239
5,399,858 A * 3/1995 Kinoshita 250/239
5,432,340 A * 7/1995 Shibata 250/239
5,545,893 A * 8/1996 Brown et al. 250/239

FOREIGN PATENT DOCUMENTS

JP 59090965 A * 5/1984 H01L/31/02

JP 61105518 A * 5/1986 G02B/6/42

JP 737044 6/1988

JP 748183 11/1988

JP 798960 10/1990

JP 737044-1 12/1990

* cited by examiner

Primary Examiner—Holly Baynham

(74) *Attorney, Agent, or Firm*—Oblon, Spivak, McClelland,
Maier & Neustadt, P.C.


(57) **CLAIM**

The ornamental design for a photoelectric conversion device, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a photoelectric conversion device, showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is right side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a left side elevational view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is an enlarged cross sectional view thereof taken along line 8—8 of FIG. 1 with its internal mechanisms omitted.

1 Claim, 2 Drawing Sheets






Fig.2




Fig.1




Fig.4




Fig.3




Fig.6




Fig.5




Fig.7




Fig.8