



US00D488139S

(12) **United States Design Patent**  
**Takami et al.**

(10) **Patent No.:** **US D488,139 S**

(45) **Date of Patent:** **\*\* Apr. 6, 2004**

(54) **TELEVISION RECEIVER**

D432,101 S \* 10/2000 Oba ..... D14/126  
D474,454 S \* 5/2003 Izu et al. .... D14/133  
D475,687 S \* 6/2003 Goto ..... D14/126

(75) Inventors: **Mitsuru Takami**, Takatsuki (JP);  
**Takashi Hasegawa**, Fukuoka (JP)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

JP D1066090 4/2000  
JP D1131091 1/2001  
JP D1145507 7/2002

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/183,033**

*Primary Examiner*—Raphael Barkai

(22) Filed: **Jun. 4, 2003**

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Dec. 25, 2002 (JP) ..... 2002-035883

The ornamental design for a television receiver, as shown and described.

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/126**

(58) **Field of Search** ..... D14/125-134,  
D14/239, 371, 374-382; 312/7.2; 348/836,  
838, 180, 184, 325, 739; 345/104, 133,  
156, 168, 87, 173

**DESCRIPTION**


FIG. 1 is a top perspective view of a television receiver of the present invention;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a first side view thereof, wherein second side view is mirror image thereof;  
FIG. 5 is a top view thereof; and,  
FIG. 6 is a bottom view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D407,074 S \* 3/1999 Lee ..... D14/375  
D422,576 S \* 4/2000 Chuo et al. .... D14/375  
D428,415 S \* 7/2000 Shibata ..... D14/375

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6