



US00D488141S

(12) **United States Design Patent**  
**Takami et al.**

(10) **Patent No.:** **US D488,141 S**

(45) **Date of Patent:** **\*\* Apr. 6, 2004**

(54) **TELEVISION RECEIVER**

D457,507 S \* 5/2002 Lim et al. .... D14/126  
D477,292 S \* 7/2003 Inoue et al. .... D14/129

(75) Inventors: **Mitsuru Takami**, Takatsuki (JP);  
**Tomohiro Ohba**, Neyagawa (JP);  
**Takashi Inoue**, Ikoma (JP)

**FOREIGN PATENT DOCUMENTS**

JP D1027999/4 1/2001  
JP D1115939 7/2001

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Raphael Barkai  
(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(21) Appl. No.: **29/182,872**

(22) Filed: **Jun. 3, 2003**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a television receiver, as shown and described.

Dec. 25, 2002 (JP) ..... 2002-035893

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **14-03**

FIG. 1 is a top perspective view of a television receiver of the present invention;

(52) **U.S. Cl.** ..... **D14/129; D14/126; D14/133**

FIG. 2 is a front view thereof;

(58) **Field of Search** ..... D14/125–134,  
D14/239, 371, 374–382; 312/7.2; 348/836,  
838, 180, 184, 325, 739; 345/104, 133,  
156, 168, 87, 173

FIG. 3 is a rear view thereof;

FIG. 4 is a first side view thereof, wherein second side view is a mirror image thereof;

(56) **References Cited**


FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

**U.S. PATENT DOCUMENTS**

D308,378 S \* 6/1990 Shinoda et al. .... D14/133

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6