



US00D488560S

(12) **United States Design Patent**
Renz et al.

(10) **Patent No.:** **US D488,560 S**

(45) **Date of Patent:** **** Apr. 13, 2004**

- (54) **NIPPLE**
- (75) **Inventors:** **Charles John Renz**, Briarcliff Manor, NY (US); **Francis X Manganiello**, Centerville, MA (US)
- (73) **Assignee:** **Playtex Products, Inc.**, Westport, CT (US)
- (**) **Term:** **14 Years**
- (21) **Appl. No.:** **29/152,197**
- (22) **Filed:** **Oct. 29, 2001**
- (51) **LOC (7) Cl.** **24-04**
- (52) **U.S. Cl.** **D24/196**
- (58) **Field of Search** D24/196, 193; 215/11.1-11.6; 606/234, 235, 236

- 3,777,753 A 12/1973 Kesselring et al. 128/252
- D286,071 S 10/1986 Fuller D24/46
- D288,240 S 2/1987 Fuller D24/46
- D288,241 S 2/1987 Fuller D24/46
- 4,676,386 A 6/1987 Phlaphongphanich 215/11 R
- D300,462 S 3/1989 English et al. D24/45
- 4,834,099 A 5/1989 Schrooten 128/360
- 5,129,532 A 7/1992 Martin 215/11.1
- D330,938 S 11/1992 Sakashita D24/196
- 5,419,445 A 5/1995 Kaesemeyer 215/11.1
- D360,468 S 7/1995 Fuller D24/196
- D381,752 S 7/1997 McCoy D24/196
- 5,653,732 A 8/1997 Sheehy 606/236
- D384,748 S * 10/1997 Dunn D24/196
- 5,747,083 A 5/1998 Raymond et al. 426/117
- D417,275 S 11/1999 Conforti D24/130
- 6,032,810 A 3/2000 Meyers et al. 215/11.1
- D441,870 S * 5/2001 Randolph D24/196

* cited by examiner

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 956,741 A 5/1910 Smith
- 1,099,082 A 6/1914 Decker
- 1,541,330 A 6/1925 Decker
- 1,858,356 A 5/1932 Brown
- 2,196,870 A 4/1940 Little 128/252
- D130,791 S 12/1941 Porthouse et al.
- 2,269,223 A 1/1942 Porthouse et al. 128/252
- 2,509,129 A 5/1950 Buck 215/11
- 2,741,385 A 4/1956 Raiche 215/11
- 2,977,013 A 3/1961 Clemens 215/11
- 3,203,569 A 8/1965 Shomock et al. 215/11
- 3,211,315 A 10/1965 Griesinger 215/11
- 3,272,202 A 9/1966 Soto 128/252
- 3,664,535 A 5/1972 Mette 215/11 R
- 3,677,429 A 7/1972 La Barge 215/11 C

Primary Examiner—Stella Reid
(74) *Attorney, Agent, or Firm*—Ohlandt, Greeley, Ruggiero & Perle, LLP


(57) **CLAIM**

The ornamental design for a nipple, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a nipple according to the present invention;
FIG. 2 is a top view of the nipple of FIG. 1;
FIG. 3 is a bottom view of the nipple of FIG. 1;
FIG. 4 is a side elevation view of the nipple of FIG. 1; and,
FIG. 5 is a cross sectional view along line 5—5 of FIG. 2.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5