



US00D488785S

(12) **United States Design Patent**
Ohba et al.

(10) **Patent No.:** **US D488,785 S**

(45) **Date of Patent:** **** Apr. 20, 2004**

(54) **TELEVISION RECEIVER**

D457,507 S * 5/2002 Lim et al. D14/126
D477,292 S * 7/2003 Inoue et al. D14/129

(75) Inventors: **Tomohiro Ohba**, Neyagawa (JP);
Mitsuru Takami, Takatsuki (JP);
Takashi Inoue, Ikoma (JP)

FOREIGN PATENT DOCUMENTS

JP D1145512 7/2002

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(21) Appl. No.: **29/183,132**

(57) **CLAIM**

(22) Filed: **Jun. 6, 2003**

The ornamental design for a television receiver, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Jan. 15, 2003 (JP) 2003-000715

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/126; D14/129**

(58) **Field of Search** D14/125-134,
D14/239, 371, 374-382; 312/7.2; 348/836,
838, 180, 184, 325, 739; 345/104, 133,
156, 168, 87, 173


FIG. 1 is a top perspective view of a television receiver of the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a first side view, wherein second side view is a mirror image thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D308,378 S * 6/1990 Shinoda et al. D14/133

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6