



US00D488924S

(12) **United States Design Patent**
Miller

(10) **Patent No.:** **US D488,924 S**

(45) **Date of Patent:** **** Apr. 27, 2004**

(54) **PADDED SHOULDER SLING STRAP FOR CORDLESS TOOLS**

(76) Inventor: **Hal W. Miller**, 1213 Edison Ave., Muscle Shoals, AL (US) 35661

(**) Term: **14 Years**

(21) Appl. No.: **29/172,699**

(22) Filed: **Dec. 17, 2002**

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D3/228**

(58) **Field of Search** D3/221, 228, 215, D3/327, 246, 252, 287, 289; 224/264, 609, 917, 149, 150, 273, 600, 643, 266, 257; 2/460

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-------------|---------|
| 502,954 A | 8/1893 | Crepeau | 54/34 |
| RE16,238 E | 12/1925 | Thompson | 224/270 |
| 1,631,694 A * | 6/1927 | Rick | 224/264 |
| 2,526,768 A | 10/1950 | Pendergrass | 224/186 |
| 2,576,559 A | 11/1951 | Bennek | 224/149 |
| 3,154,787 A * | 11/1964 | Newman | 2/460 |
| 4,331,271 A | 5/1982 | Anderson | 224/150 |
| 4,645,104 A | 2/1987 | Vokaty | 224/673 |
| 4,936,495 A | 6/1990 | Van de Pol | 224/627 |
| 5,082,156 A | 1/1992 | Braun | 224/220 |
| D325,470 S * | 4/1992 | Harms | D3/327 |

| | | | |
|---------------|--------|-----------------|---------|
| D328,186 S * | 7/1992 | Hanke | D3/327 |
| D360,526 S * | 7/1995 | Roncato | D3/276 |
| 5,429,288 A | 7/1995 | Sattler | 224/258 |
| 5,429,289 A | 7/1995 | Lamson et al. | 224/269 |
| D390,001 S * | 2/1998 | Lovelady et al. | D3/221 |
| 5,765,735 A * | 6/1998 | Kimchi et al. | 224/264 |
| D446,013 S * | 8/2001 | Pironti | D3/287 |

* cited by examiner

Primary Examiner—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Donald R. Schoonover


(57) **CLAIM**

I claim the ornamental design for a padded shoulder sling strap for cordless tools, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a padded shoulder sling strap for cordless tools showing my new design;
 FIG. 2 is a side elevational view thereof, the opposite side elevational view being a mirror image thereof
 FIG. 3 is an end elevational view thereof;
 FIG. 4 is an elevational view of the opposite end thereof;
 FIG. 5 is a bottom plan view thereof; and
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a reduced perspective view showing the padded shoulder sling strap for cordless tools in use; the broken lines show environmental structure for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets







FIG. 1.

FIG. 7.






FIG. 2.




FIG. 4.




FIG. 3.




FIG. 5.




FIG. 6.