



US00D488960S

(12) **United States Design Patent**
Wahl et al.

(10) **Patent No.: US D488,960 S**

(45) **Date of Patent: ** Apr. 27, 2004**

(54) **STANLEY BOLT VACUUM BOTTLE**

D431,969 S 10/2000 Hurlbut D7/608

D432,367 S 10/2000 Segura D7/608

(75) Inventors: **Andrew C. F. Wahl**, Seattle, WA (US);
Gary A. Hurlbut, Seattle, WA (US)

D434,611 S 12/2000 Yu D7/608

D467,130 S 12/2002 Janky D7/608

(73) Assignee: **Pacific Market, Inc.**, Seattle, WA (US)

OTHER PUBLICATIONS

(**) Term: **14 Years**

Aladdin International Corporation® “Thermal Retention Products Price List,” Feb. 1, 1986.

(21) Appl. No.: **29/178,852**

Aladdin® Stanley® “Half Gallon Unbreakable Steel Vacuum Bottle 1.9 Liters” Brochure.

(22) Filed: **Mar. 31, 2003**

Aladdin® “Stanley® Quart Unbreakable Steel Vacuum Bottle 950 mL” Brochure.

(51) **LOC (7) Cl. 07-01**

Aladdin® “Stanley® Wide Mouth Unbreakable Steel Vacuum Bottle 24 oz. (710mL)” Brochure.

(52) **U.S. Cl. D7/608**

Aladdin® “Stanley® Quart with Two 12-oz. Stanley Foam-Insulated Travel Mugs, Unbreakable Steel Vacuum Bottle (950 mL)” Brochure.

(58) **Field of Search** D7/605-608, 312-322;
D9/500, 503, 504, 538; 62/457.1-457.7;
215/6, 12.1, 12.2, 13.1, 396, 398; 220/592.16,
592.17, 592.22, 592.23, 592.27, 592.2

Aladdin,® “Rugged American™ Quart Steel Thermos” Brochure.

(56) **References Cited**

Aladdin® “Envoy™ Unbreakable Steel Vacuum Bottle, Pint (470 mL)” Brochure.

U.S. PATENT DOCUMENTS

Aladdin® “Envoy 950™ Unbreakable Steel Vacuum Bottle, Quart (950 mL)” Brochure.

1,044,757 A	11/1912	Decker et al.	
D179,880 S	3/1957	Bramming	
D182,708 S	5/1958	Bramming	
2,981,562 A	4/1961	Long	294/31.2
D206,914 S	2/1967	Phillips	
D222,521 S	10/1971	Johnson	
D268,727 S	4/1983	Nestrock	
D274,209 S	6/1984	Kikuchi	
D306,953 S	4/1990	Kase et al.	D7/608
D309,237 S	7/1990	Kobayashi et al.	D7/605
D314,888 S	2/1991	Mano et al.	D7/605
D360,113 S	7/1995	Takahashi	D7/608
D378,652 S	4/1997	Yamanaka et al.	D7/608
D379,742 S	6/1997	Enomoto et al.	D7/608
D379,743 S	6/1997	Enomoto et al.	D7/608
D411,716 S	6/1999	Besser et al.	D7/608
D416,448 S	11/1999	Webb et al.	D7/608
D422,455 S	4/2000	Kato	D7/608
D425,374 S	5/2000	Besser et al.	D7/608
D428,774 S	8/2000	Moran, Jr.	D7/608
D429,118 S	8/2000	Hurlbut	D7/608
D429,119 S	8/2000	Hurlbut	D7/608
D430,769 S	9/2000	Hurlbut	D7/300

(List continued on next page.)

Primary Examiner—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Seed IP Law Group PLLC

(57) **CLAIM**

The ornamental design for a Stanley bolt vacuum bottle, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a Stanley bolt vacuum bottle showing our new design.

FIG. 2 is a front elevational view thereof.


FIG. 3 is a right side elevational view thereof.

FIG. 4 is a bottom plan view thereof.

FIG. 5 is a left side elevational view thereof; and,

FIG. 6 is a top plan view thereof.

1 Claim, 6 Drawing Sheets



OTHER PUBLICATIONS

Aladdin® “Executive™ 0.7 Liter, 0.5 Liter, 1 Liter, The All Steel Bottles . . . That Really Mean Business” Brochure.

Aladdin® “Glass Vacuum Bottles, Items 6016 and 6032” Brochure.

Aladdin® “The Omega” Brochure, Aladdin Industries, Nashville, TN, 1993.

Aladdin® “Stanley® Insulated Lunch Cooler 7 Quart Capacity” Brochure.

Aladdin® “Stanley® Combo” Brochure.

Aladdin® “Black Stanley® Quart with Two Foam-Insulated 12-oz. Mugs Unbreakable Steel Vacuum Bottle 950 mL” Brochure.

Aladdin® “The Stanley Fourth Quarter Advertising Campaign” Brochure.

Aladdin® Stanley® 10 N 10 Rugged American Item #4232, Quart, Half Gallon and 24 Ounce Widemouth Stanley® Item #4032, 4032BL, 4064, 4024, Stanley® Cooler Item #4100, Brochure.

Aladdin® “Heavy Duty Thermo Bottles 10 N 10, Item #2134 and Item 2123” Brochure.

Aladdin® “Stanley® Gift Sets Item #4032SBL” Brochure. Pacific Market, Inc “Joe Vacuum Bottle” worksheet, Dec. 1998.

Contemporary Classics “1996 Centennial Olympic Collection” Brochure.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6