



US00D489211S

(12) **United States Design Patent**  
**Grannum**

(10) **Patent No.:** **US D489,211 S**

(45) **Date of Patent:** **\*\* May 4, 2004**

(54) **CUSHIONED COLLAR**

(76) **Inventor:** **Lillian O. Grannum**, 903 Drew St.,  
Unit 534, Brooklyn, NY (US) 11208

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/170,982**

(22) **Filed:** **Nov. 15, 2002**

(51) **LOC (7) Cl.** ..... **06-09**

(52) **U.S. Cl.** ..... **D6/601**

(58) **Field of Search** ..... D6/595, 596, 597,  
D6/598, 601, 604, 611; D24/183; 5/630,  
632, 633, 636, 637, 638, 640, 644, 652,  
652.1, 653, 654, 655, 655.3, 655.4, 655.9,  
656, 657.5, 907, 945; 224/153, 155, 584,  
907; 297/129, 180.11, 188.2, 188.12, 195.1,  
199, 219.1, 225, 228.1, 229, 452.41

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,343,357	A	*	6/1920	Eggers	.....	5/630
D59,900	S	*	12/1921	Marsh	.....	D6/604
1,986,697	A	*	1/1935	Wilson	.....	5/630
2,462,215	A	*	2/1949	Norman et al.	.....	5/644
3,048,860	A	*	8/1962	Richardson	.....	5/636

D322,380	S	*	12/1991	El-Asir	.....	D6/601
5,313,678	A	*	5/1994	Redewill	.....	5/639
5,586,351	A	*	12/1996	Ive	.....	5/655
D382,164	S	*	8/1997	Hays	.....	D6/601
D430,442	S	*	9/2000	Reithmeier	.....	D6/598
D434,588	S	*	12/2000	Allan	.....	D6/601
6,253,400	B1	*	7/2001	Rudt-Sturzenegger et al.	..	5/630
D450,517	S	*	11/2001	Darling et al.	.....	D6/596
6,457,195	B1	*	10/2002	Holste	.....	5/640
6,523,200	B2	*	2/2003	Brown	.....	5/655

\* cited by examiner

*Primary Examiner*—Doris V. Coles  
*Assistant Examiner*—T. Chase Nelson


(57) **CLAIM**

The ornamental design for a cushioned collar, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a cushioned collar showing my new design.  
FIG. 2 is a side elevational view of the cushioned collar.  
FIG. 3 is a front elevational view of the cushioned collar;  
and,  
FIG. 4 is a rear elevational view of the cushioned collar.

**1 Claim, 2 Drawing Sheets**






FIG. 2




FIG. 1




FIG. 3




FIG. 4