



US00D489244S

(12)

United States Design Patent
Vito

(10)

Patent No.: **US D489,244 S**

(45)

Date of Patent: **** May 4, 2004**

(54) **LOCK CLOSURE ELEMENT**

(76) Inventor: **Robert A. Vito**, 1434 Sugartown Rd.,
Berwyn, PA (US) 19312

(**) Term: **14 Years**

(21) Appl. No.: **29/171,067**

(22) Filed: **Nov. 15, 2002**

Related U.S. Application Data

(63) Continuation-in-part of application No. 10/243,239, filed on
Sep. 13, 2002, and a continuation-in-part of application No.
29/166,890, filed on Sep. 5, 2002.

(51) **LOC (7) Cl.** **08-07**

(52) **U.S. Cl.** **D8/343**

(58) **Field of Search** D8/330, 331, 334,
D8/343, 349, 352; 70/51–56, 233, 234,
235, 14, 20, 21, 30, 49, 211, 212, 226

(56) **References Cited**

U.S. PATENT DOCUMENTS

153,312 A	7/1874	Broome et al.
1,337,568 A	4/1920	Shannon et al.
1,503,210 A	7/1924	Shannon
3,754,418 A	8/1973	Miller
3,754,420 A	8/1973	Oellerich
3,800,570 A	4/1974	Kaplan
3,924,426 A	12/1975	Zane et al.
4,545,224 A	10/1985	Zane
4,736,921 A	4/1988	Zane et al.
5,010,746 A	4/1991	Zane et al.
5,092,142 A	3/1992	Zane et al.
5,647,520 A	7/1997	McDaid
5,706,679 A	1/1998	Zane et al.
5,794,462 A	8/1998	Steele et al.
6,321,961 B1	11/2001	McDaid et al.
6,422,442 B1	7/2002	McDaid et al.

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Volpe and Koenig, P.C.

(57) **CLAIM**

The ornamental design for a lock closure element, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a lock closure element
according to a first preferred embodiment of my new design;
FIG. 2 is a second perspective view of the lock closure
element of FIG. 1;

FIG. 3 is a front elevational view of the lock closure element
of FIG. 1, the rear elevational view being the same;

FIG. 4 is a left side elevational view of the lock closure
element of FIG. 1, the right side elevational view being the
same;

FIG. 5 is a bottom plan view of the lock closure element of
FIG. 1;

FIG. 6 is a top plan view of the lock closure element of FIG.
1;

FIG. 7 is a perspective view of a lock closure element
according to a second preferred embodiment of my new
design;

FIG. 8 is a second perspective view of the lock closure
element of FIG. 7;

FIG. 9 is a front elevational view of the lock closure element
of FIG. 7, the rear elevational view being the same;

FIG. 10 is a left side elevational view of the lock closure
element of FIG. 7, the right side elevational view being the
same;

FIG. 11 is a bottom plan view of the lock closure element of
FIG. 7; and,

FIG. 12 is a top plan view of the lock closure element of
FIG. 7.

The dashed lines in FIGS. 1–12 represent environment and
are for illustrative purposes only and do not constitute part
of the claimed design. The phantom lines in FIGS. 1–12
define the border between claimed and unclaimed matter.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5




FIG. 6

FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11




FIG. 12