



US00D489323S

(12) **United States Design Patent**  
**Yoshida**

(10) **Patent No.:** **US D489,323 S**

(45) **Date of Patent:** **\*\* May 4, 2004**

(54) **BATTERY CHARGER FOR DIGITAL CAMERAS**

(75) **Inventor:** **Koji Yoshida, Tokyo (JP)**

(73) **Assignee:** **Fuji Photo Film Co., Ltd., Kanagawa (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/186,520**

(22) **Filed:** **Jul. 18, 2003**

(30) **Foreign Application Priority Data**

Jan. 21, 2003 (JP) ..... 2003-001264

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/108; D16/219**

(58) **Field of Search** ..... **D13/107, 108; D14/253; D16/219; 3320/107-115**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D277,662 S \* 2/1985 Huntington et al. .... D13/107
- D323,504 S \* 1/1992 Langton ..... D14/142
- D344,708 S \* 3/1994 Ho ..... D13/108

- D349,485 S \* 8/1994 Richards et al. .... D13/107
- D363,284 S \* 10/1995 Solomita ..... D14/253
- D442,141 S \* 5/2001 Ikenaga ..... D13/107
- D445,087 S \* 7/2001 Skoger et al. .... D13/108
- 6,483,698 B1 \* 11/2002 Loh ..... 320/113
- D474,737 S 5/2003 Yoshida

\* cited by examiner

*Primary Examiner*—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Young & Thompson

(57) **CLAIM**

The ornamental design for a battery charger for digital cameras, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and side perspective view of a battery charger for digital cameras, showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a bottom plan view thereof; and,  
 FIG. 6 is a side elevational view thereof from the left of FIG. 2, the side opposite that shown in FIG. 6 being the mirror image thereof.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6

