



US00D489337S

(12) **United States Design Patent**
Murray

(10) **Patent No.:** **US D489,337 S**

(45) **Date of Patent:** **** May 4, 2004**

- (54) **HOME AUTOMATION MODULE**
- (75) Inventor: **Christopher J. Murray**, Baltimore, MD (US)
- (73) Assignee: **Black & Decker Inc.**, Newark, DE (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/159,242**
- (22) Filed: **Apr. 17, 2002**
- (51) **LOC (7) Cl.** **13-03**
- (52) **U.S. Cl.** **D13/162**
- (58) **Field of Search** D10/106; D13/133, D13/147, 152, 158, 162, 164, 184; 174/50, 51, 52.1, 67; 340/3.7, 310.01; 361/600-679, 683, 685, 692, 696, 709, 724, 730, 735, 736, 752, 763, 784, 796, 816, 829; 700/19, 83

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,200,862	A	*	4/1980	Campbell et al.	340/310.01
4,418,333	A	*	11/1983	Schwarzbach et al.	.	340/310.01
D276,718	S	*	12/1984	Goodin et al.	D13/164
D278,142	S	*	3/1985	Chan	D13/164
D325,902	S	*	5/1992	Hudson et al.	D13/184
D381,633	S	*	7/1997	Hiyakumoto et al.	D13/162
D400,513	S	*	11/1998	Seirio	D13/184
5,905,442	A	*	5/1999	Mosebrook et al.	340/3.7
D425,493	S	*	5/2000	Cutright et al.	D13/184
6,587,739	B1	*	7/2003	Abrams et al.	700/83

OTHER PUBLICATIONS

2-Way Appliance Module—2 pin (AM14A) Reproduced from http://www.x10.com/products/x10_am14a.htm.
 AM466 Appliance Module—3 Prong Grounded Reproduced from http://www.x10.com/products/x10_am466.htm.
 AM486 Appliance Module—2 PIN Polarized Reproduced from http://www.10.com/products/x10_am486.htm.

(List continued on next page.)

Primary Examiner—Philip S. Hyder

Assistant Examiner—Selina Sikder
 (74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.


(57) **CLAIM**

The ornamental design for a home automation module, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a home automation module in a closed state of the present invention;
 FIG. 2 is a rear isometric view of the home automation module shown in FIG. 1;
 FIG. 3 is a front elevation view of the home automation module shown in FIG. 1;
 FIG. 4 is a rear elevation view of the home automation module shown in FIG. 1;
 FIG. 5 is a right side view of the home automation module shown in FIG. 1;
 FIG. 6 is a left side view of the home automation module shown in FIG. 1;
 FIG. 7 is a top plan view of the home automation module shown in FIG. 1;
 FIG. 8 is a bottom plan view of the home automation module shown in FIG. 1;
 FIG. 9 is a front isometric view of a home automation module in an opened state of the present invention;
 FIG. 10 is a rear isometric view of the home automation module shown in FIG. 9;
 FIG. 11 is a front elevation view of the home automation module shown in FIG. 9;
 FIG. 12 is a rear elevation view of the home automation module shown in FIG. 9;
 FIG. 13 is a right side view of the home automation module shown in FIG. 9;
 FIG. 14 is a left side view of the home automation module shown in FIG. 9;
 FIG. 15 is a top plan view of the home automation module shown in FIG. 9; and,
 FIG. 16 is a bottom plan view of the home automation module shown in FIG. 9.
 The broken line showing of the environment in FIGS. 9-16 is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 15 Drawing Sheets



OTHER PUBLICATIONS

2-Way Lamp Module (LM14A) Reproduced from http://www.x10.com/products/x10_lm14a.htm.

Lamp Module (LM465) Reproduced from http://www.x10.com/products/x10_lm465.h5m.

Universal Module (UM506) Reproduced from http://www.x10.com/products/x10_um506.htm.

Wireless Transceiver Module (TM751) Reproduced from http://www.10.com/products/x10_tm751.htm.

* cited by examiner




FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG 11




FIG 12




FIG 13




FIG 14




FIG 15




FIG 16