



US00D489346S

(12) **United States Design Patent**
Lowinger

(10) **Patent No.:** **US D489,346 S**

(45) **Date of Patent:** **** May 4, 2004**

(54) **TWO-WAY RADIO WRIST WATCH**

(75) **Inventor:** **Ben Lowinger**, New York, NY (US)

(73) **Assignee:** **U.S. Electronics, Inc.**, New York, NY (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/187,861**

(22) **Filed:** **Aug. 11, 2003**

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/138; D10/31**

(58) **Field of Search** D14/137, 138,
D14/218, 147-148, 247-248, 144, 142,
191, 341-347, 205, 206, 223; 379/433.01-433.13,
419, 434, 428.01-428.04, 420.01-420.04,
440; D24/167; 455/550.1-90.3; D21/517;
D10/30-32, 37-39, 128, 40; 368/10, 13

(56) **References Cited**

U.S. PATENT DOCUMENTS

D210,462 S	*	3/1968	Roberts	D14/155
4,419,770 A	*	12/1983	Yagi et al.	455/301
D279,671 S	*	7/1985	Stanton	D14/192
D296,675 S	*	7/1988	Jones et al.	D10/31
D319,590 S	*	9/1991	Houlihan	D10/31
5,218,577 A	*	6/1993	Seager	368/10
5,224,076 A	*	6/1993	Thorp	368/10
5,235,560 A	*	8/1993	Seager	368/10
5,274,613 A	*	12/1993	Seager	368/13
D345,736 S	*	4/1994	Scheid	D14/191
5,381,387 A	*	1/1995	Blonder et al.	368/10
D359,700 S	*	6/1995	Abrams	D10/106
D398,540 S	*	9/1998	Lee	D10/30
D399,433 S	*	10/1998	Bruce et al.	D10/30
D424,532 S	*	5/2000	Chida	D14/344

D427,918 S	*	7/2000	Nakai et al.	D10/31
D429,468 S	*	8/2000	Nakai et al.	D10/31
D447,426 S	*	9/2001	Jannard et al.	D10/32
D452,006 S	*	12/2001	Komulainen	D24/167
D452,007 S	*	12/2001	Rantala	D24/167
D452,226 S	*	12/2001	Simpson et al.	D14/167
D454,901 S	*	3/2002	Goto	D16/202
D460,430 S	*	7/2002	Wada et al.	D14/138
6,459,890 B1	*	10/2002	Kim	455/351
D466,487 S	*	12/2002	Wada et al.	D14/138
D466,488 S	*	12/2002	Wada et al.	D14/138
D466,879 S	*	12/2002	Wada et al.	D14/138
6,564,075 B1	*	5/2003	Mitamura	455/575.1
2002/0105859 A1	*	8/2002	Davidson et al.	368/13

* cited by examiner

Primary Examiner—Jeffrey Asch


(57) **CLAIM**

The ornamental design for a two-way radio wrist watch, as shown and described.

DESCRIPTION

FIG. 1 is a front, right side view of the two-way radio wrist watch (Device) with upright antenna (perpendicular to face); FIG. 2 is a front view of the Device with recumbent antenna (horizontal to face); FIG. 3 is a top and front view of the Device with upright antenna; FIG. 4 is a right side view of the Device with upright antenna; FIG. 5 is a left side view of the Device with recumbent antenna; and, FIG. 6 is a rear view of the Device. The wristband has been shown in different positions throughout the views to illustrate the adjustable nature thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6