



US00D489475S

(12) **United States Design Patent** (10) **Patent No.:** **US D489,475 S**
Bender et al. (45) **Date of Patent:** **** May 4, 2004**

(54) **LENS CASING**

(75) Inventors: **R. Kurt Bender**, Dripping Springs, TX (US); **Jonathan D. Williams**, Austin, TX (US); **Douglas D. Myron**, Austin, TX (US); **Willfred Goldschmidt**, Weston, CT (US)

(73) Assignee: **Hubbell Incorporated**, Orange, CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/161,476**

(22) Filed: **May 30, 2002**

(51) **LOC (7) Cl.** **26-99**

(52) **U.S. Cl.** **D26/120**

(58) **Field of Search** 340/554, 555,
340/561, 565; D10/104, 111, 106; D26/118-137;
250/239, 353

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,496,905	A	1/1985	Forte et al.	324/414
5,046,961	A	9/1991	Hoffman	439/141
5,108,297	A	4/1992	Hoffman et al.	439/134
5,280,966	A	1/1994	Morris et al.	285/89
5,323,116	A	6/1994	Atria	324/511
5,373,155	A *	12/1994	Chen	250/239
5,557,207	A	9/1996	Duve	324/414
5,562,483	A	10/1996	Hoffman	439/469
5,640,143	A	6/1997	Myron et al.	340/541
5,782,653	A	7/1998	Sandor	439/467
5,885,099	A	3/1999	Sandor	439/467
5,986,357	A	11/1999	Myron et al.	307/116
6,078,253	A	6/2000	Fowler	340/501
6,087,834	A	7/2000	Tury et al.	324/414
6,222,191	B1	4/2001	Myron et al.	250/353
D453,350	S *	2/2002	Fenton et al.	D10/106
D458,408	S *	6/2002	Ching	D26/128

OTHER PUBLICATIONS

“Installation and use of LightBAT™ G2 Laser Alignment Tool LB-LAT-1,” 2 pages, Brochure form Mytech Corporation, Feb. 28, 2002.

“LightBAT G2 Accessories,” 1 page, Brochure from Mytech Corporation, Feb. 19, 2002.

“LightBAT G2—Dual-level Switching Controller and PIR Sensor,” 4 pages, Brochure from Mytech Corporation, Mar. 5, 2002.

MYzer™ Port Application Guide, 2 pages, brochure from Mytech Corporation, Jul. 10, 2001.

“MYzer™ Port Connector System (Quick Connection to Mytech’s LightBat G2™ HID Hi/Low Controller),” 1 page, Brochure from Mytech Corporation, Jul. 10, 2001.

“See the Light, Automatic Lighting, Occupancy Sensors & HID Controls,” the Mytech 2002 Product Catalog, Mytech Corporation, Jan. 3, 2002.

“The Light/BAT™ G2 integrated HID Dual Level Switching Controller and Sensor,” 7 pages, brochure from Mytech Corporation, Jun. 6, 2001.

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski L.L.P.

(57) **CLAIM**

The ornamental design for a lens casing, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bottom, right, and front views of a first embodiment of our design;



FIG. 2 is a perspective view of the top, left, and rear views of the first embodiment of our design;

FIG. 3 is a perspective view of the bottom, right, and front views of a second embodiment of our design; and,

FIG. 4 is a perspective view of the top, left, and rear views of the second embodiment of our design.

The only difference between the first embodiment of our design shown in FIGS. 1–2 and the second embodiment of our design shown in FIGS. 3–4 is the addition of a lens in the second embodiment. Such a lens is shown in dotted lines in the first embodiment and, thus, forms no part of the claimed design of the first embodiment. Moreover, the dotted lines shown in the figures represent environmental structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4