

### (12) United States Design Patent (10) Patent No.: US D489,481 S May 4, 2004 Minami (45) **Date of Patent:** \*\*

#### **AUTOMATIC HAIR WASHING MACHINE** (54)

- Inventor: Nobuyuki Minami, Osaka (JP) (75)
- Assignee: Oohiro Works, Ltd., Osaka (JP) (73)
- 14 Years (\*\*) Term:
- Appl. No.: 29/107,506 (21)
- (22) Filed: Jul. 7, 1999

### **OTHER PUBLICATIONS**

"Aqua Vibro 2" Brochure (HC10018535) (Partial Translation), issued by Takara Belmont Group, Aug. 25, 1998. "Beauty Salon Equipment Lineup Catalog," Aqua Vibro 802 Hair Washer, issued by Takara Belmont Group, Oct. 3, 1998.

\* cited by examiner

(57)

Primary Examiner—Ted Shooman Assistant Examiner—C. Tuttle

- (30)**Foreign Application Priority Data**
- (JP) ..... 11-501 Jan. 11, 1999
- (51)
- (52)
- (58)D28/99; D32/1; 132/212, 272, 333; 4/515–523; 601/159, 166; D23/271, 286

### **References Cited** (56)

### **U.S. PATENT DOCUMENTS**

3,521,647 A	*	7/1970	Mercer 132/272
5,025,514 A	*	6/1991	Miller 4/518
5,906,012 A	*	5/1999	Sakane et al 4/519

### FOREIGN PATENT DOCUMENTS

JP	406078821 A	≉	3/1994	
JP	406078824 A	≉	3/1994	
JP	916105		1/1995	
IP	916105-1		8/1999	

(74) Attorney, Agent, or Firm—Burr & Brown

## CLAIM

The ornamental design for the automatic hair washing machine, as shown and described.

## DESCRIPTION

FIG. 1 is a front view of the automatic hair washing machine in accordance with my new design; FIG. 2 is a back view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; and, FIG. 7 is a perspective view thereof. The broken lines in FIGS. 1, 3, 5 and 7 immediately adjacent to solid lines define the bounds of the claimed design; all other broken lines, appearing in FIGS. 1, 5 and 7, are for illustrative purposes only. None of the broken lines form a part of the present claim.

### 1 Claim, 6 Drawing Sheets



## **U.S. Patent** May 4, 2004 Sheet 1 of 6 **US D489,481 S**







#### **U.S. Patent** US D489,481 S May 4, 2004 Sheet 2 of 6

# Fig. 2





## **U.S. Patent** May 4, 2004 Sheet 3 of 6 **US D489,481 S**

.

# Fig. 3





# **U.S. Patent** May 4, 2004 Sheet 4 of 6 **US D489,481 S**







# **U.S. Patent** US D489,481 S May 4, 2004 Sheet 5 of 6 Fig. 5 Q' $\bigcirc$ ł



# Fig. 6



## **U.S. Patent** May 4, 2004 Sheet 6 of 6 **US D489,481 S**





## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.: Des. 489,481 SAPPLICATION NO.: 29/107506DATED: May 4, 2004INVENTOR(S): Nobuyuki Minami

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Title page,</u> Item [57], **ABSTRACT**, Lines 9-13, replace with the following:

-- The broken lines immediately adjacent the shaded area of the upper sloped front surface in Figs. 1, 5 and 7, the lower peripheral broken line shown in Figs. 1-4 and 7; and the broken line within the right side rectangular area define the bounds of the claimed design. All other broken lines are for illustrative purposes only. None of the broken lines form part of the claimed design. --.

## Signed and Sealed this

Eleventh Day of July, 2006



### JON W. DUDAS

Director of the United States Patent and Trademark Office