



US00D489603S

(12) **United States Design Patent**  
**Berman**

(10) **Patent No.: US D489,603 S**

(45) **Date of Patent: \*\* May 11, 2004**

(54) **SIDE GUSSETED FLEXIBLE BEVERAGE CONTAINER WITH HIGH RISE FITMENT**

(75) Inventor: **Ron Berman**, Long Beach, CA (US)

(73) Assignee: **Saddlesprings Beverage Company, Inc.**, Torrance, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/159,538**

(22) Filed: **Apr. 23, 2002**

(51) **LOC (7) Cl. .... 09-05**

(52) **U.S. Cl. .... D9/305**

(58) **Field of Search** ..... D9/305, 306, 302,  
D9/442; 222/92, 105, 107, 206, 215, 541.7,  
541.5; 383/36, 61, 96, 97, 104, 106, 120,  
121, 122, 100; 229/123.1; 220/495.01,  
495.03, 495.08

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,502,487	A	*	3/1970	Byrd	.....	383/100
3,596,829	A		8/1971	Gardner		
4,650,452	A		3/1987	Jensen		
4,718,778	A		1/1988	Ichikawa		
4,732,299	A		3/1988	Hoyt		
4,818,544	A		4/1989	Seward		
4,874,255	A		10/1989	Ball et al.		
4,886,373	A	*	12/1989	Corella	.....	383/104
D410,838	S		6/1999	Berman		
D420,900	S		2/2000	Berman		
D425,410	S		5/2000	Berman		
D429,459	S		8/2000	Berman		
D433,625	S		11/2000	Berman		
D434,976	S		12/2000	Berman		
D436,847	S		1/2001	Berman		
D436,848	S		1/2001	Berman		

(List continued on next page.)

**OTHER PUBLICATIONS**

Purported Translation of Abstract of JP6179454A, “,” (Jun. 28, 1994).

*Primary Examiner*—Paula A. Mortimer

(74) *Attorney, Agent, or Firm*—Fulwider Patton Lee & Utecht, LLP

(57) **CLAIM**

The ornamental design for a side gusseted flexible beverage container with high rise fitment, as shown and described.

**DESCRIPTION**

FIG. 1 is a forward perspective view of a first embodiment of my new design for a side gusseted flexible beverage pouch with high rise fitment illustrating the characteristic features of the design which resides in its shape together with having an opaque upper portion and transparent lower portion on both the front, back, left, and right sides of the pouch;

FIG. 2 is a front elevational view of the embodiment illustrated in FIG. 1, the rear elevational view being identical;

FIG. 3 is a left side elevational view of the embodiment illustrated in FIG. 1, the right side elevational view being identical;

FIG. 4 is a top view of the embodiment illustrated in FIG. 1;

FIG. 5 is a bottom view of the embodiment illustrated in FIG. 1;



FIG. 6 is a front elevational view of an alternative embodiment of my new design illustrating the characteristic features of the design which resides in its shape together with having a transparent top portion and opaque bottom portion on both the front, rear, and sides of the pouch, the rear view being identical;

FIG. 7 is a left side elevational view of the embodiment illustrated in FIG. 6, the right side elevational view being identical;

FIG. 8 is a bottom view thereof; and,

FIG. 9 is a top view thereof.

**1 Claim, 3 Drawing Sheets**



# US D489,603 S

Page 2

---

## U.S. PATENT DOCUMENTS

D437,549 S	2/2001	Berman	D452,818 S	1/2002	Berman	
D440,868 S	4/2001	Berman	D452,819 S	1/2002	Berman	
D451,793 S	12/2001	Berman	D453,001 S	1/2002	Berman	
D452,816 S	1/2002	Berman	D474,681 S	*	5/2003	Berman ..... D9/305
D452,817 S	1/2002	Berman	D474,683 S	*	5/2003	Berman ..... D9/305

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 8




Fig. 9




Fig. 6




Fig. 7