



US00D489605S

(12) **United States Design Patent**
Berman

(10) **Patent No.:** **US D489,605 S**

(45) **Date of Patent:** **** May 11, 2004**

(54) **SIDE GUSSETED FLEXIBLE BEVERAGE CONTAINER**

(75) Inventor: **Ron Berman**, Long Beach, CA (US)

(73) Assignee: **Saddlesprings Beverage Company, Inc.**, Torrance, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/178,972**

(22) Filed: **Apr. 2, 2003**

Related U.S. Application Data

(62) Division of application No. 29/159,495, filed on Apr. 23, 2002, now Pat. No. Des. 474,681.

(51) **LOC (7) Cl.** **09-05**

(52) **U.S. Cl.** **D9/305**

(58) **Field of Search** D9/305, 306, 302, D9/442; 383/100, 104, 120, 121, 906; 229/123.1; 222/92, 105, 107, 541.7, 541.5; 220/495.01, 495.03, 495.08

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-----------|---|---|---------|-------------|-------|---------|---|
| 3,502,487 | A | * | 3/1970 | Byrd | | 383/100 | X |
| 3,596,829 | A | | 8/1971 | Gardner | | | |
| 4,650,452 | A | | 3/1987 | Jensen | | | |
| 4,718,738 | A | * | 1/1988 | Bell | | 383/121 | |
| 4,718,778 | A | | 1/1988 | Ichikawa | | | |
| 4,732,299 | A | | 3/1988 | Hoyt | | | |
| 4,818,544 | A | | 4/1989 | Seward | | | |
| 4,874,255 | A | | 10/1989 | Ball et al. | | | |
| 4,886,373 | A | * | 12/1989 | Corella | | 383/104 | |
| D410,838 | S | | 6/1999 | Berman | | | |
| D420,900 | S | | 2/2000 | Berman | | | |
| D425,410 | S | | 5/2000 | Berman | | | |

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

JP 6179454 A 6/1994

OTHER PUBLICATIONS

Purported Translation of Abstract of JP6179454A, “,” (Jun. 28, 1994).

Primary Examiner—Paula A. Mortimer

(74) *Attorney, Agent, or Firm*—Fulwider Patton Lee & Utecht, LLP

(57) **CLAIM**

The ornamental design for a side gusseted flexible beverage container, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an embodiment of my new design illustrating the characteristic features of the design which resides in its shape together with having an opaque upper portion, transparent diagonal middle portion, and opaque lower portion on both the front and back of the pouch;

FIG. 2 is a rear elevational view of the embodiment illustrated in FIG. 1

FIG. 3 is a left side elevational view of the embodiment illustrated in FIG. 1

FIG. 4 is a right side elevational view of the embodiment illustrated in FIG. 1

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front elevational view of an alternative embodiment of my new design illustrating the characteristic features of the design which resides in its shape together with having an transparent upper portion, opaque diagonal middle portion, and transparent lower portion on both the front and back of the pouch;


FIG. 8 is a rear elevational view of the embodiment illustrated in FIG. 7;

FIG. 9 is a right side elevational view of the embodiment illustrated in FIG. 7, the left side being identical;

FIG. 10 is a top view of the embodiment illustrated in FIG. 7; and,

FIG. 11 is a bottom view of the embodiment illustrated in FIG. 7.

1 Claim, 3 Drawing Sheets



US D489,605 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | |
|---------------|---------|-----------------------------|--------------|---------|---------------------|
| D429,459 S | 8/2000 | Berman | D451,793 S | 12/2001 | Berman |
| 6,102,252 A * | 8/2000 | Overman et al. 222/105 | D452,816 S | 1/2002 | Berman |
| D433,625 S | 11/2000 | Berman | D452,817 S | 1/2002 | Berman |
| D434,976 S | 12/2000 | Berman | D452,818 S | 1/2002 | Berman |
| D436,847 S | 1/2001 | Berman | D452,819 S | 1/2002 | Berman |
| D436,848 S | 1/2001 | Berman | D453,001 S | 1/2002 | Berman |
| D437,549 S | 2/2001 | Berman | D474,681 S * | 5/2003 | Berman D9/305 |
| D440,868 S | 4/2001 | Berman | | | |

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11