



US00D489766S

(12) **United States Design Patent**
Gregory et al.

(10) **Patent No.:** **US D489,766 S**
(45) **Date of Patent:** **** May 11, 2004**

(54) **EXIT SIGN**
(75) **Inventors:** **Dennis K. Gregory**, Tupelo, MS (US);
Khosrow J. Jamasbi, Belden, MS
(US); **David W. Knoble**, Tupelo, MS
(US); **Charles Kelpin**, Senoia, GA (US)

3,931,689 A 1/1976 Shine
5,018,290 A 5/1991 Kozek et al.
5,768,814 A 6/1998 Kozek et al.
5,797,673 A 8/1998 Logan et al.
D406,279 S 3/1999 LaRosa et al.
5,964,051 A 10/1999 Loeber et al.
6,142,648 A 11/2000 Logan et al.
D446,818 S * 8/2001 Kim, II D20/10

(73) **Assignee:** **Genlyte Thomas Group LLC**,
Louisville, KY (US)

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—Middleton Reutlinger

(21) **Appl. No.:** **29/182,127**

(22) **Filed:** **May 20, 2003**

(57) **CLAIM**

The ornamental design for an exit sign, as shown.

(51) **LOC (7) Cl.** **20-02**
(52) **U.S. Cl.** **D20/42**
(58) **Field of Search** D20/10, 13, 15,
D20/17, 22, 27, 28–29, 39–42, 99; D12/193;
40/299.01, 330, 549, 570, 572, 579, 606.18,
606.19, 607.13, 611.05, 612, 624, 642.01,
651; 362/812

DESCRIPTION


FIG. 1 is a perspective view of the design for an exit sign.
FIG. 2 is a front view of the design.
FIG. 3 is a right side view of the design.
FIG. 4 is a left side view of the design.
FIG. 5 is a top view of the design.
FIG. 6 is a bottom view of the design; and,
FIG. 7 rear view of the design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D119,963 S * 4/1940 Ludwig D20/17

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7