



US00D489844S

(12) **United States Design Patent**
Merheje

(10) **Patent No.:** **US D489,844 S**

(45) **Date of Patent:** **** May 11, 2004**

(54) **NAIL AND CUTICLE CLIPPERS**

(76) Inventor: **Michel Yamin Merheje**, Alameda
Venezuela, 69, 06470-280 Barueri Sao
Paulo (BR)

(**) Term: **14 Years**

(21) Appl. No.: **29/167,734**

(22) Filed: **Sep. 19, 2002**

(51) **LOC (7) Cl.** **28-03**

(52) **U.S. Cl.** **D28/60**

(58) **Field of Search** 30/26-29, 175,
30/186; D28/60; 81/427.5, 489; D8/5, 52,
107; 132/75.3, 75.4, 75.5

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,680,210	A	*	8/1972	Steinman	30/28
4,739,552	A	*	4/1988	Thomas	30/28
	H1295	H	3/1994	Kingsley	D8/52
2001/0007172	A1	*	7/2001	Rinaldi	30/28

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Akerman Senterfitt;
Michael C. Cesarano

(57) **CLAIM**

I claim the ornamental design for the nail and cuticle
clippers, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the nail and cuticle clippers.
FIG. 2 is a side view of the nail and cuticle clippers; and,
FIG. 3 is a plan view of the nail and cuticle clippers.


As illustrated by the above-referenced figures, the present
invention is characterized by a main structure 1 formed by
two portions 2 joined by a center point 3, where a joint pin
4 is found.

Each of the two portions 2 is formed by a front region 5
where the cutting edges 6 are located.

Each of the two portions 2 is formed in gripping sections 7,
which present an insert 8 produced in a material different
from the remaining structure of the pliers. The inserts 8 can
receive engraving of a manufacturer's brand.

Gripping sections 7, from the central articulation region of
the pliers, progressively increase in thickness, culminating
in smooth terminations 9.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3