



US00D490057S

(12) **United States Design Patent**
Takeshima et al.

(10) **Patent No.:** **US D490,057 S**

(45) **Date of Patent:** **** May 18, 2004**

(54) **BATTERY PACK SPACER**

(75) Inventors: **Hiroki Takeshima**, Kanagawa (JP);
Takuma Iida, Aichi (JP); **Shunsuke Yasui**, Kanagawa (JP); **Mitsuhiro Tamura**, Kanagawa (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/189,272**

(22) Filed: **Aug. 28, 2003**

(30) **Foreign Application Priority Data**

Jun. 11, 2003 (JP) 2003-016459

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/119**

(58) **Field of Search** D13/119; 429/129,
429/148, 151, 159

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,319,178 A * 3/1982 Sugalski 320/110
D361,980 S * 9/1995 Chen D13/119
5,866,276 A * 2/1999 Ogami et al. 429/148
6,174,618 B1 * 1/2001 Nishiyama et al. 429/159

6,479,187 B1 * 11/2002 Takasaki et al. 429/157
6,498,406 B1 * 12/2002 Høriuchi et al. 307/150
2001/0046624 A1 * 11/2001 Goto et al. 429/99
2003/0017383 A1 * 1/2003 Ura et al. 429/120

FOREIGN PATENT DOCUMENTS

JP D1039559 5/1999
JP D1167633 3/2003

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione


(57) **CLAIM**

The ornamental design for a battery pack spacer, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a battery pack spacer of the present invention;
FIG. 2 is a first side view thereof;
FIG. 3 is a second side view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a third side view thereof; and,
FIG. 7 is a fourth side view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7