



US00D490064S

(12) **United States Design Patent**
Yi

(10) **Patent No.:** **US D490,064 S**

(45) **Date of Patent:** **** May 18, 2004**

(54) **HANDHELD TRANSCEIVER**

(75) **Inventor:** **SahngBok Yi, IlSan-Gu Go Yang (KR)**

(73) **Assignee:** **Entel (UK) Limited, Borahamwood (GB)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/183,829**

(22) **Filed:** **Jun. 17, 2003**

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/137**

(58) **Field of Search** D14/137, 138, D14/218, 147-149, 247-249, 144, 240, 242, 341-347, 399, 426, 387, 429, 453, 197, 198, 189, 192, 193, 157, 194, 195, 196, 158; 379/433.01-433.13, 434, 419, 420.01-420.04, 428.01-428.02, 440; 455/550.01-90.3; D13/168; D18/2, 7; D21/517, 329, 331, 333; D10/104, 106, 65; 381/86

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,159,706 A	*	10/1992	Hodsdon	455/90.3
D340,927 S	*	11/1993	Goatman	D14/137
D348,664 S	*	7/1994	Imazeki	D14/137
D348,878 S	*	7/1994	Lindeman et al.	D14/137
D383,133 S	*	9/1997	Imazeki	D14/198
D399,504 S	*	10/1998	Lindeman et al.	D14/137
D406,130 S	*	2/1999	Roessner	D14/138
D406,584 S	*	3/1999	Nagai	D14/137
D406,833 S	*	3/1999	Page et al.	D14/137
D409,997 S	*	5/1999	Heuel	D14/137
D410,002 S	*	5/1999	Collins	D14/138
D411,536 S	*	6/1999	Page et al.	D14/137
D446,780 S	*	8/2001	Sedan et al.	D14/137

D451,484 S	*	12/2001	Page et al.	D14/137
D451,896 S	*	12/2001	Kim	D14/137
D467,889 S	*	12/2002	Cebe et al.	D14/137
D480,374 S	*	10/2003	Toor et al.	D14/138

OTHER PUBLICATIONS

Korean Design Reg. Publication, Reg. No. 0226057, Reg. Date Aug. 18, 1998, Simoco International Ltd. in U.S.*
Korean Design Reg. Publication, Reg. No. 169787, Publ. No. 1345, Reg. Date Oct. 9, 1995, Pantech Co., Ltd. in Korea.*

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Bradley N. Ruben

(57) **CLAIM**

The ornamental design for a handheld transceiver, as shown and described.

DESCRIPTION

The device is a body or casing for handheld transceiver, such as a radio communications device, preferably being submersible for use in marine environments.

FIG. 1 is a frontal perspective view of a handheld transceiver;


FIG. 2 is a side elevation view of the transceiver of FIG. 1 as viewed from the left;

FIG. 3 is a front elevation view of the transceiver of FIG. 1; FIG. 4 is a side elevation view of the transceiver of FIG. 1 as viewed from the right;

FIG. 5 is a rear elevation view of the transceiver of FIG. 1; FIG. 6 is a plan view of the transceiver of FIG. 1 as viewed from above; and,

FIG. 7 is a plan view of the transceiver of FIG. 1 as viewed from below.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig.4




Fig.5




Fig.6




Fig.7