



US00D490140S

(12) **United States Design Patent** (10) **Patent No.:** **US D490,140 S**  
**Byron** (45) **Date of Patent:** **\*\* May 18, 2004**

(54) **SPRAYER HAVING A DETACHABLE SHIELD**

(75) Inventor: **David Byron**, Honeoye Falls, NY (US)

(73) Assignee: **Chapin Manufacturing, Inc.**, Batavia, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/182,635**

(22) Filed: **May 29, 2003**

(51) **LOC (7) Cl.** ..... **23-01**

(52) **U.S. Cl.** ..... **D23/225**

(58) **Field of Search** ..... D23/213, 225;  
D8/2; 222/402.15, 400.8; 239/373, 302,  
308

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,002,698 A \* 10/1961 Gallo ..... 239/308  
D231,783 S \* 6/1974 Morehouse ..... D23/225  
D288,586 S \* 3/1987 Moskalik ..... D23/225  
4,787,560 A \* 11/1988 DeYoreo ..... 239/373  
5,072,884 A \* 12/1991 Ellison et al. .... 239/373

\* cited by examiner

*Primary Examiner*—Robin V. Taylor

(74) *Attorney, Agent, or Firm*—Jaekle Fleischmann & Mugel, LLP

(57) **CLAIM**

The ornamental design for a sprayer having a detachable shield, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the embodiment of the design.

FIG. 2 is a rear perspective view of the embodiment of the design.

FIG. 3 is a left side elevation view of the embodiment of the design.

FIG. 4 is a front elevation view of the embodiment of the design.


FIG. 5 is a right side elevation view of the embodiment of the design.

FIG. 6 is a top view of an embodiment of the design.

FIG. 7 is a perspective view of the embodiment of the design having the detachable shield removed; and,

FIG. 8 is a front elevation view of the embodiment of the design having the detachable shield removed.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8