



US00D490140S

(12) **United States Design Patent**
Byron

(10) **Patent No.:** **US D490,140 S**

(45) **Date of Patent:** **** May 18, 2004**

(54) **SPRAYER HAVING A DETACHABLE SHIELD**

(75) Inventor: **David Byron**, Honeoye Falls, NY (US)

(73) Assignee: **Chapin Manufacturing, Inc.**, Batavia, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/182,635**

(22) Filed: **May 29, 2003**

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/225**

(58) **Field of Search** D23/213, 225;
D8/2; 222/402.15, 400.8; 239/373, 302,
308

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,002,698 A	*	10/1961	Gallo	239/308
D231,783 S	*	6/1974	Morehouse	D23/225
D288,586 S	*	3/1987	Moskalik	D23/225
4,787,560 A	*	11/1988	DeYoreo	239/373
5,072,884 A	*	12/1991	Ellison et al.	239/373

* cited by examiner

Primary Examiner—Robin V. Taylor
(74) *Attorney, Agent, or Firm*—Jaeckle Fleischmann & Mugel, LLP

(57) **CLAIM**

The ornamental design for a sprayer having a detachable shield, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the embodiment of the design.

FIG. 2 is a rear perspective view of the embodiment of the design.

FIG. 3 is a left side elevation view of the embodiment of the design.

FIG. 4 is a front elevation view of the embodiment of the design.

FIG. 5 is a right side elevation view of the embodiment of the design.

FIG. 6 is a top view of an embodiment of the design.

FIG. 7 is a perspective view of the embodiment of the design having the detachable shield removed; and,

FIG. 8 is a front elevation view of the embodiment of the design having the detachable shield removed.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8